

Bilag: Søgeprotokol for Nationale Kliniske Retningslinjer

Søgestrategi primær litteratur: PIRO 1

PIRO 1

Embase

#	Query	Hits	Kommentar
1	feces incontinence/	14,119	
2	(Anal incontinenc* or Anus incontinenc* or Fecal incontinenc* or Faecal incontinenc* or Feces incontinenc* or Faeces incontinenc* or Bowel incontinenc* or Rectal incontinenc* or Rectum incontinenc* or Stool incontinenc* or incontinentia alvi).ti,ot,sh,hw,ab,kw.	15,505	
3	exp echography/	522,164	
4	(doptone or echogra* or echoscop* or echoso* or sonogra* or ultraso*).ti,ot,sh,hw,ab,kw.	537,730	
5	exp "SENSITIVITY AND SPECIFICITY"/ or sensitivity.tw. or specificity.tw. or ((pre-test or pretest) adj probability).tw. or post-test probability.tw. or predictive value*.tw. or likelihood ratio*.tw. or *Diagnostic Accuracy/	1,003,680	
	(1 or 2) and (3 or 4) and 5	94	

Medline

#	Query	Hits	Kommentar
	exp Fecal Incontinence/	7,976	
	(Anal incontinenc* or Anus incontinenc* or Fecal incontinenc* or Faecal incontinenc* or Feces incontinenc* or Faeces incontinenc* or Bowel incontinenc* or Rectal incontinenc* or Rectum incontinenc* or Stool incontinenc* or incontinentia alvi).ab,hw,kf,ot,ti.	9,893	
	exp echography/	252,536	
	(doptone or echogra* or echoscop* or echoso* or sonogra* or ultraso*).ab,hw,kf,ot,ti.	339,183	
	exp "Sensitivity and Specificity"/ or sensitivity.tw. or specificity.tw. or ((pre-test or pretest) adj probability).tw. or post-test probability.tw. or predictive value\$.tw. or likelihood ratio\$.tw.	1,058,325	
	(1 or 2) and (3 or 4) and 5	71	

Flowchart: Søgning efter primære studier til PIRO 1: Bør kvinder med vedvarende afføringsinkontinens postpartum ultralydsscannes?

