

Characteristics of studies

Characteristics of excluded studies

Ahn 2016

Reason for exclusion	Wrong study design
----------------------	--------------------

Al Jaghbeer 2013

Reason for exclusion	Wrong study design
----------------------	--------------------

Almeida 2013

Reason for exclusion	In metaanalysis
----------------------	-----------------

Audibert 2014

Reason for exclusion	Wrong outcomes
----------------------	----------------

Balthazor 2013

Reason for exclusion	In metaanalysis
----------------------	-----------------

Beales 2017

Reason for exclusion	Wrong study design
----------------------	--------------------

Bergamin 2014

Reason for exclusion	In metaanalysis
----------------------	-----------------

Blumberg 2014

Reason for exclusion	Wrong intervention
----------------------	--------------------

Boutin 2015

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Boutin 2016

Reason for exclusion	Wrong setting
----------------------	---------------

Brierley 2014

Reason for exclusion	Wrong study design
----------------------	--------------------

Brokso 2016

Reason for exclusion	In metaanalysis
----------------------	-----------------

Brunskill 2015

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Carson 2013

Reason for exclusion	Wrong study design
----------------------	--------------------

Carson 2014

Reason for exclusion	In metaanalysis
----------------------	-----------------

Carson 2014a

Reason for exclusion	Wrong study design
----------------------	--------------------

Carson 2015

Reason for exclusion	In metaanalysis
----------------------	-----------------

Carson 2016

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Chan 2015

Reason for exclusion	Wrong study design
----------------------	--------------------

Chang 2013

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Dupuis 2017

Reason for exclusion	Wrong patient population
----------------------	--------------------------

English 2015

Reason for exclusion	Wrong patient population
----------------------	--------------------------

English 2016

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Franchini 2017

Reason for exclusion	Wrong study design
----------------------	--------------------

Goodnough 2014

Reason for exclusion	Wrong study design
----------------------	--------------------

Goodnough 2017

Reason for exclusion	Wrong study design
----------------------	--------------------

Gregersen 2013

Reason for exclusion	Abstract
----------------------	----------

Gregersen 2014

Reason for exclusion	Wrong outcomes
----------------------	----------------

Gregersen 2015

Reason for exclusion	Wrong outcomes
----------------------	----------------

Gregersen 2016

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Gruber Baldini 2013

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Gruenbaum 2014

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Gu 2015

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Hogshire 2013

Reason for exclusion	Wrong study design
----------------------	--------------------

Holst 2015

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Hovaguimian 2016

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Jairath 2013

Reason for exclusion	Wrong study design
----------------------	--------------------

Jairath 2014

Reason for exclusion	In metaanalysis
----------------------	-----------------

Lee 2014

Reason for exclusion	Wrong outcomes
----------------------	----------------

Lei 2015

Reason for exclusion	Wrong study design
----------------------	--------------------

Lelubre 2016

Reason for exclusion	Wrong study design
----------------------	--------------------

Lelubre 2016a

Reason for exclusion	Wrong study design
----------------------	--------------------

Mao 2017

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Mirski 2015

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Moller 2017

Reason for exclusion	Wrong study design
----------------------	--------------------

Nielsen 2014

Reason for exclusion	In metaanalysis
----------------------	-----------------

Odutayo 2017

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Parker 2013

Reason for exclusion	In metaanalysis
----------------------	-----------------

Rygaard 2016

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Rygaard 2017

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Salpeter 2014

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Shah 2015

Reason for exclusion	Wrong study design
----------------------	--------------------

Simon 2017

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

So Osman 2013

Reason for exclusion	In metaanalysis
----------------------	-----------------

Spahn 2015

Reason for exclusion	Wrong study design
----------------------	--------------------

Teng 2015

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Walsh 2013

Reason for exclusion	In metaanalysis
----------------------	-----------------

Wang 2013

Reason for exclusion	Does not provide additional data
----------------------	----------------------------------

Yaddanapudi 2014

Reason for exclusion	Wrong study design
----------------------	--------------------

Yakymenko 2017

Reason for exclusion	Wrong outcomes
----------------------	----------------

Yazer 2014

Reason for exclusion	Wrong study design
----------------------	--------------------

Footnotes

References to studies**Excluded studies****Ahn 2016**

Ahn J.; Soril L.J.; Leggett L.E.; Holmes R.; Grigat D.; Lang E.; Clement F.. A restrictive transfusion strategy decreases mortality, re-bleeding and adverse events in hemodynamically stable patients with acute upper gastrointestinal bleeding: Findings from a systematic review and meta-analysis of randomized controlled trials. Canadian Journal of Emergency Medicine 2016;18(Journal Article):S56-S57. [DOI: <http://dx.doi.org/10.1017/cem.2016.114>]

Al Jaghbeer 2013

Al-Jaghbeer M.; Yende S.. Blood transfusion for upper gastrointestinal bleeding: Is less more again? Critical Care 2013;17(5):325. [DOI: <http://dx.doi.org/10.1186/cc13020>]

Almeida 2013

Almeida J.; Galas F.; Osawa E.; Fukushima J.; Moulin S.; Park C.; Almeida E.; Vieira S.; Vincent J.; Rhodes A.; Balzan M.; Inacio J.; Palomba H.; Nakamura R.; Bergamin F.; Sandrini A.; Ribeiro Jr, U.; Auler Jr, J.; Hajjar L.. Transfusion Requirements in Surgical Oncology Patients (TRISOP): A randomized, controlled trial. Critical Care 2013;17(Journal Article):S137. [DOI: <http://dx.doi.org/10.1186/cc12302>]

Audibert 2014

Audibert G.; Charpentier C.; Crumiere P.-P.; Cantais E.; Joly L.-M.; Mertes P.-M.. Effect of transfusion on cerebral metabolism after severe traumatic brain injury: Liberal versus restrictive strategy. European journal of anaesthesiology 2014;31(Journal Article):118. [DOI:]

Balthazor 2013

Balthazor D.; Jefferson O.; Torlinski T.. Transfusion strategies for acute upper gastrointestinal bleeding. Journal of the Intensive Care Society 2013;14(4):357-358. [DOI:]

Beales 2017

Beales I.. Recent advances in the management of peptic ulcer bleeding. F1000Research 2017;6(Journal Article):1763. [DOI: <http://dx.doi.org/10.12688/f1000research.11286.1>]

Bergamin 2014

Bergamin F.; Almeida J.; Park C.; Osawa E.; Silva J.; Galas F.; Nagaoka D.; Fukushima J.; Vieira S.; Candido L.; Oshiro C.O.; Vincent J.L.; Hajjar L.. Transfusion requirements in septic shock patients: A randomized controlled trial. Critical Care 2014;18(Journal Article):S39. [DOI: <http://dx.doi.org/10.1186/cc13302>]

Blumberg 2014

Blumberg N.; Rogers M.. Leukoreduction and restrictive red blood cell (RBC) transfusion minimize healthcare-associated infections after orthopedic surgery. Transfusion 2014;54(Journal Article):187A. [DOI: <http://dx.doi.org/10.1111/trf.12845>]

Boutin 2015

Boutin A.; Chasse M.; Shemilt M.; Lauzier F.; Moore L.; Zarychanski R.; Lacroix J.; Fergusson D.A.; Griesdale D.; Desjardins P.; Turgeon A.F.. Red blood cell transfusion in patients with traumatic brain injury: A systematic review. Critical Care 2015;19(Journal Article):S117. [DOI: <http://dx.doi.org/10.1186/cc14412>]

Boutin 2016

Boutin, Amelie; Chasse, Michael; Shemilt, Michele; Lauzier, Francois; Moore, Lynne; Zarychanski, Ryan; Griesdale, Donald; Desjardins, Philippe; Lacroix, Jacques; Fergusson, Dean; Turgeon, Alexis F.. Red Blood Cell Transfusion in Patients With Traumatic Brain Injury: A Systematic Review and Meta-Analysis. Transfusion medicine reviews 2016;30(1):15-24. [DOI: <https://dx.doi.org/10.1016/j.tmr.2015.08.004>]

Brierley 2014

Brierley, Rachel C. M.; Pike, Katie; Miles, Alice; Wordsworth, Sarah; Stokes, Elizabeth A.; Mumford, Andrew D.; Cohen, Alan; Angelini, Gianni D.; Murphy, Gavin J.; Rogers, Chris A.; Reeves, Barnaby C.. A multi-centre randomised controlled trial of Transfusion Indication Threshold Reduction on transfusion rates, morbidity and healthcare resource use following cardiac surgery: study protocol. Transfusion and apheresis science : official journal of the World Apheresis Association : official journal of the European Society for Haemapheresis 2014;50(3):451-61. [DOI: <https://dx.doi.org/10.1016/j.transci.2014.02.020>]

Brokso 2016

Brokso, Holst L.. Benefits and harms of red blood cell transfusions in patients with septic shock in the intensive care unit. Danish Medical Journal 2016;63(2). [DOI:]

Brunskill 2015

Brunskill, Susan J.; Millette, Sarah L.; Shokoohi, Ali; Pulford, E. C.; Doree, Carolyn; Murphy, Michael F.; Stanworth, Simon. Red blood cell transfusion for people undergoing hip fracture surgery. The Cochrane database of systematic reviews 2015;(4):CD009699. [DOI: <https://dx.doi.org/10.1002/14651858.CD009699.pub2>]

Carson 2013

Carson L.; Carless A.. The evidence base for red blood cell transfusions. Vox sanguinis 2013;105(Journal Article):9. [DOI: <http://dx.doi.org/10.1111/vox.12047>]

Carson 2014

Carson J.L.; Sieber F.; Hoover D.R.; Noveck H.; Chaitman B.R.; Beaupre L.; Macaulay W.; Rhoads G.; Fleisher L.; Cook D.R.; Sanders D.; Zakriya K.; Paris B.; Zagorin A.; Magaziner J.. A randomized clinical trial of liberal versus restrictive transfusion strategy evaluating long term survival and cause of death: Results from the FOCUS Trial. Blood 2014;124(21). [DOI:]

Carson 2014a

Carson, Jeffrey L.; Strair, Roger. Transfusion strategies in hematologic and nonhematologic disease. Hematology.American Society of Hematology.Education Program 2014;2014(1):548-52. [DOI: <https://dx.doi.org/10.1182/asheducation-2014.1.548>]

Carson 2015

Carson, Jeffrey L.; Sieber, Frederick; Cook, Donald Richard; Hoover, Donald R.; Noveck, Helaine; Chaitman, Bernard R.; Fleisher, Lee; Beaupre, Lauren; Macaulay, William; Rhoads, George G.; Paris, Barbara; Zagorin, Aleksandra; Sanders, David W.; Zakriya, Khwaja J.; Magaziner, Jay. Liberal versus restrictive blood transfusion strategy: 3-year survival and cause of death results from the FOCUS randomised controlled trial. Lancet (London, England) 2015;385(9974):1183-9. [DOI: [https://dx.doi.org/10.1016/S0140-6736\(14\)62286-8](https://dx.doi.org/10.1016/S0140-6736(14)62286-8)]

Carson 2016

Carson, Jeffrey L.; Guyatt, Gordon; Heddle, Nancy M.; Grossman, Brenda J.; Cohn, Claudia S.; Fung, Mark K.; Gernsheimer, Terry; Holcomb, John B.; Kaplan, Lewis J.; Katz, Louis M.; Peterson, Nikki; Ramsey, Glenn; Rao, Sunil V.; Roback, John D.; Shander, Aryeh; Tobian, Aaron A. R.. Clinical Practice Guidelines From the AABB: Red Blood Cell Transfusion Thresholds and Storage. JAMA 2016;316(19):2025-2035. [DOI: <https://dx.doi.org/10.1001/jama.2016.9185>]

Chan 2015

Chan, A. W.; de Gara, C.J.. An evidence-based approach to red blood cell transfusions in asymptotically anaemic patients. Annals of the Royal College of Surgeons of England 2015;97(8):556-62. [DOI: <https://dx.doi.org/10.1308/rcsann.2015.0047>]

Chang 2013

Chang C.-J.; Hou M.-C.; Liao W.-C.; Chen P.-H.; Lin H.-C.; Lee F.-Y.; Lee S.-D.. Management of acute gastric varices bleeding. Journal of the Chinese Medical Association 2013;76(10):539-546. [DOI: <http://dx.doi.org/10.1016/j.jcma.2013.06.011>]

Dupuis 2017

Dupuis, Claire; Sonnevile, Romain; Adrie, Christophe; Gros, Antoine; Darmon, Michael; Bouadma, Lila; Timsit, Jean-Francois. Impact of transfusion on patients with sepsis admitted in intensive care unit: a systematic review and meta-analysis. Annals of intensive care 2017;7(1):5. [DOI: <https://dx.doi.org/10.1186/s13613-016-0226-5>]

English 2015

English, Shane W.; Chasse, Michael; Turgeon, Alexis F.; Tinmouth, Alan; Boutin, Amelie; Pagliarello, Giuseppe; Fergusson, Dean; McIntyre, Lauralyn. Red blood cell transfusion and mortality effect in aneurysmal subarachnoid hemorrhage: a systematic review and meta-analysis protocol. Systematic reviews 2015;4(Journal Article):41. [DOI: <https://dx.doi.org/10.1186/s13643-015-0035-1>]

English 2016

English, Shane W.; Fergusson, D.; Chasse, M.; Turgeon, A. F.; Lauzier, F.; Griesdale, D.; Algird, A.; Kramer, A.; Tinmouth, A.; Lum, C.; Sinclair, J.; Marshall, S.; Dowlatshahi, D.; Boutin, A.; Pagliarello, G.; McIntyre, L. A.; Canadian Critical Care, Trials Group. Aneurysmal SubArachnoid Hemorrhage-Red Blood Cell Transfusion And Outcome (SAHaRA): a pilot randomised controlled trial protocol. BMJ open 2016;6(12):e012623. [DOI: <https://dx.doi.org/10.1136/bmjopen-2016-012623>]

Franchini 2017

Franchini, Massimo; Marano, Giuseppe; Mengoli, Carlo; Pupella, Simonetta; Vaglio, Stefania; Munoz, Manuel; Liembruno, Giancarlo M.. Red blood cell transfusion policy: a critical literature review. Blood transfusion = Trasfusione del sangue 2017;15(4):307-317. [DOI: <https://dx.doi.org/10.2450/2017.0059-17>]

Goodnough 2014

Goodnough, Lawrence Tim; Murphy, Michael F.. Do liberal blood transfusions cause more harm than good? BMJ (Clinical research ed.) 2014;349(Journal Article):g6897. [DOI: <https://dx.doi.org/10.1136/bmj.g6897>]

Goodnough 2017

Goodnough, Lawrence Tim; Panigrahi, Anil K.. Blood Transfusion Therapy. The Medical clinics of North America 2017;101(2):431-447. [DOI: <https://dx.doi.org/10.1016/j.mcna.2016.09.012>]

Gregersen 2013

Gregersen M.; Borris L.C.; Damsgaard E.M.. A liberal blood transfusion strategy improves survival in nursing home residents with hip fracture. European Geriatric Medicine 2013;4(Journal Article):S106. [DOI: <http://dx.doi.org/10.1016/j.eurger.2013.07.347>]

Gregersen 2014

Gregersen M.G.; Damsgaard E.M.; Borris L.C.. Blood transfusion strategies in recovery from physical disability and overall quality of life in frail elderly with hip fracture. European Geriatric Medicine 2014;5(Journal Article):S228. [DOI:]

Gregersen 2015

Gregersen, Merete; Borris, Lars Carl; Damsgaard, Else Marie. Blood transfusion and overall quality of life after hip fracture in frail elderly patients--the transfusion requirements in frail elderly randomized controlled trial. *Journal of the American Medical Directors Association* 2015;16(9):762-6. [DOI: <https://dx.doi.org/10.1016/j.jamda.2015.03.022>]

Gregersen 2016

Gregersen, Merete. Postoperative red blood cell transfusion strategy in frail anemic elderly with hip fracture. A randomized controlled trial. *Danish medical journal* 2016;63(4). [DOI:]

Gruber Baldini 2013

Gruber-Baldini, Ann; Marcantonio, Edward; Orwig, Denise; Magaziner, Jay; Terrin, Michael; Barr, Erik; Brown, Jessica P.; Paris, Barbara; Zagorin, Aleksandra; Roffey, Darren M.; Zakriya, Khwaja; Blute, Mary-Rita; Hebel, J. R.; Carson, Jeffrey L.. Delirium outcomes in a randomized trial of blood transfusion thresholds in hospitalized older adults with hip fracture. *Journal of the American Geriatrics Society* 2013;61(8):1286-95. [DOI: <https://dx.doi.org/10.1111/jgs.12396>]

Gruenbaum 2014

Gruenbaum, Shaun E.; Ruskin, Keith J.. Red blood cell transfusion in neurosurgical patients. *Current opinion in anaesthesiology* 2014;27(5):470-3. [DOI: <https://dx.doi.org/10.1097/ACO.000000000000109>]

Gu 2015

Gu, Yisu; Estcourt, Lise J.; Doree, Carolyn; Hopewell, Sally; Vyas, Pares. Comparison of a restrictive versus liberal red cell transfusion policy for patients with myelodysplasia, aplastic anaemia, and other congenital bone marrow failure disorders. *The Cochrane database of systematic reviews* 2015;(10):CD011577. [DOI: <https://dx.doi.org/10.1002/14651858.CD011577.pub2>]

Hogshire 2013

Hogshire, Lauren; Carson, Jeffrey L.. Red blood cell transfusion: what is the evidence when to transfuse? *Current opinion in hematology* 2013;20(6):546-51. [DOI: <https://dx.doi.org/10.1097/MOH.0b013e32836508bd>]

Holst 2015

Holst, Lars B.; Petersen, Marie W.; Haase, Nicolai; Perner, Anders; Wetterslev, Jorn. Restrictive versus liberal transfusion strategy for red blood cell transfusion: systematic review of randomised trials with meta-analysis and trial sequential analysis. *BMJ (Clinical research ed.)* 2015;350(Journal Article):h1354. [DOI: <https://dx.doi.org/10.1136/bmj.h1354>]

Hovaguimian 2016

Hovaguimian, Frederique; Myles, Paul S.. Restrictive versus Liberal Transfusion Strategy in the Perioperative and Acute Care Settings: A Context-specific Systematic Review and Meta-analysis of Randomized Controlled Trials. *Anesthesiology* 2016;125(1):46-61. [DOI: <https://dx.doi.org/10.1097/ALN.0000000000001162>]

Jairath 2013

Jairath, Vipul; Kahan, Brennan C.; Gray, Alasdair; Dore, Caroline J.; Mora, Ana; Dyer, Claire; Stokes, Elizabeth A.; Llewelyn, Charlotte; Bailey, Adam A.; Dallal, Helen; Everett, Simon M.; James, Martin W.; Stanley, Adrian J.; Church, Nicholas; Darwent, Melanie; Greenaway, John; Le Jeune, Ivan; Reckless, Ian; Campbell, Helen E.; Meredith, Sarah; Palmer, Kelvin R.; Logan, Richard F. A.; Travis, Simon P. L.; Walsh, Timothy S.; Murphy, Michael F.. Restrictive vs liberal blood transfusion for acute upper gastrointestinal bleeding: rationale and protocol for a cluster randomized feasibility trial. *Transfusion medicine reviews* 2013;27(3):146-53. [DOI: <https://dx.doi.org/10.1016/j.tmr.2013.04.001>]

Jairath 2014

Jairath V.; Kahan B.; Gray A.; Dore C.; Palmer K.; Travis S.; Logan R.; Walsh T.; Murphy M.. Restrictive versus liberal blood transfusion for acute upper gastrointestinal bleeding (trigger): Pragmatic, cluster randomised, feasibility trial. *United European Gastroenterology Journal* 2014;2(1):A50. [DOI: <http://dx.doi.org/10.1177/2050640614548974>]

Lee 2014

Lee J.M.; Chun H.J.; Lee J.S.; Kim S.H.; Nam S.J.; Choi H.S.; Kim E.S.; Keum B.; Jeon Y.T.; Lee H.; Um S.H.; Kim C.D.; Ryu H.S.; Park J.-J.; Li S.W.. Target level for hemoglobin correction in patients with acute non-variceal upper gastrointestinal bleeding. *Gastroenterology* 2014;146(5):S-321. [DOI: <http://dx.doi.org/10.1016/S0016-5085%2814%2961157-4>]

Lei 2015

Lei, Chong; Xiong, Li-Ze. Perioperative Red Blood Cell Transfusion: What We Do Not Know. *Chinese medical journal* 2015;128(17):2383-6. [DOI: <https://dx.doi.org/10.4103/0366-6999.163384>]

Lelubre 2016

Lelubre C.; Taccone F.S.. Transfusion strategies in patients with traumatic brain injury: Which is the optimal hemoglobin target? *Minerva anesthesiologica* 2016;82(1):112-126. [DOI:]

Lelubre 2016a

Lelubre, Christophe; Vincent, Jean L.; Taccone, Fabio S.. Red blood cell transfusion strategies in critically ill patients: lessons from recent randomized clinical studies. *Minerva anesthesiologica* 2016;82(9):1010-6. [DOI:]

Mao 2017

Mao, Tianli; Gao, Fuqiang; Han, Jun; Sun, Wei; Guo, Wanshou; Li, Zirong; Wang, Weiguo. Restrictive versus liberal transfusion strategies for red blood cell transfusion after hip or knee surgery: A systematic review and meta-analysis. *Medicine* 2017;96(25):e7326. [DOI: <https://dx.doi.org/10.1097/MD.0000000000007326>]

Mirski 2015

Mirski M.A.; Frank S.M.; Kor D.J.; Vincent J.-L.; Holmes D.R.. Restrictive and liberal red cell transfusion strategies in adult patients: Reconciling clinical data with best practice. *Critical Care* 2015;(Journal Article):1-11. [DOI: <http://dx.doi.org/10.1186/s13054-015-0912-y>]

Moller 2017

Moller A.; Nielsen H.; Wetterslev J.; Pedersen O.; Hellemann D.; Shahidi S.. Low vs high haemoglobin trigger for perioperative separation of red blood cell transfusion in vascular surgery: A randomised, analyst blinded, feasibility trial (the TV trial). *Vox sanguinis* 2017;112(Journal Article):267-268. [DOI: <http://dx.doi.org/10.1111/vox.12530>]

Nielsen 2014

Nielsen, Kamilla; Johansson, Par I.; Dahl, Benny; Wagner, Michael; Frausing, Britt; Borglum, Jens; Jensen, Kenneth; Sturup, Jens; Hvolris, Jesper; Rasmussen, Lars S.. Perioperative transfusion threshold and ambulation after hip revision surgery--a randomized trial. *BMC anesthesiology* 2014;14(Journal Article):89. [DOI: <https://dx.doi.org/10.1186/1471-2253-14-89>]

Odutayo 2017

Odutayo A.; Desborough M.J.R.; Trivella M.; Stanley A.J.; Doree C.; Collins G.S.; Hopewell S.; Brunskill S.J.; Kahan B.C.; Logan R.F.A.; Barkun A.N.; Murphy M.F.; Jairath V.. Restrictive versus liberal blood transfusion for gastrointestinal bleeding: a systematic review and meta-analysis of randomised controlled trials. *The Lancet Gastroenterology and Hepatology* 2017;2(5):354-360. [DOI: <http://dx.doi.org/10.1016/S2468-1253%2817%2930054-7>]

Parker 2013

Parker, Martyn J.. Randomised trial of blood transfusion versus a restrictive transfusion policy after hip fracture surgery. *Injury* 2013;44(12):1916-8. [DOI: <https://dx.doi.org/10.1016/j.injury.2013.04.033>]

Rygaard 2016

Rygaard S.L.; Holst L.B.; Wetterslev J.; Johansson P.I.; Perner A.. Lower versus higher haemoglobin threshold for blood transfusion in septic shock: Exploratory subgroup analyses of a randomised trial. *Intensive Care Medicine Experimental* 2016;4(Journal Article). [DOI: <http://dx.doi.org/10.1186/s40635-016-0099-9>]

Rygaard 2017

Rygaard, S. L.; Holst, L. B.; Wetterslev, J.; Johansson, P. I.; Perner, A.; TRISS, trial group; Scandinavian Critical Care, Trials Group. Higher vs. lower haemoglobin threshold for transfusion in septic shock: subgroup analyses of the TRISS trial. *Acta Anaesthesiologica Scandinavica* 2017;61(2):166-175. [DOI: <https://dx.doi.org/10.1111/aas.12837>]

Salpeter 2014

Salpeter, Shelley R.; Buckley, Jacob S.; Chatterjee, Saurav. Impact of more restrictive blood transfusion strategies on clinical outcomes: a meta-analysis and systematic review. *The American Journal of Medicine* 2014;127(2):124-131.e3. [DOI: <https://dx.doi.org/10.1016/j.amjmed.2013.09.017>]

Shah 2015

Shah, A.; Stanworth, S. J.; McKechnie, S.. Evidence and triggers for the transfusion of blood and blood products. *Anaesthesia* 2015;70 Suppl 1(Journal Article):10-5. [DOI: <https://dx.doi.org/10.1111/anae.12893>]

Simon 2017

Simon, Geoff I.; Craswell, Alison; Thom, Ogilvie; Fung, Yoke Lin. Outcomes of restrictive versus liberal transfusion strategies in older adults from nine randomised controlled trials: a systematic review and meta-analysis. *The Lancet.Haematology* 2017;4(10):e465-e474. [DOI: [https://dx.doi.org/10.1016/S2352-3026\(17\)30141-2](https://dx.doi.org/10.1016/S2352-3026(17)30141-2)]

So Osman 2013

So-Osman, Cynthia; Nelissen, Rob; Brand, Ronald; Faber, Frank; Slaa, Ron Te; Stiggelbout, Anne; Brand, Anneke. The impact of a restrictive transfusion trigger on post-operative complication rate and well-being following elective orthopaedic surgery: a post-hoc analysis of a randomised study. *Blood transfusion = Trasfusione del sangue* 2013;11(2):289-95. [DOI: <https://dx.doi.org/10.2450/2013.0172-12>]

Spahn 2015

Spahn, Donat R.; Spahn, Gabriela H.; Stein, Philipp. Evidence base for restrictive transfusion triggers in high-risk patients. *Transfusion medicine and hemotherapy : offizielles Organ der Deutschen Gesellschaft fur Transfusionsmedizin und Immunhamatologie* 2015;42(2):110-4. [DOI: <https://dx.doi.org/10.1159/000381509>]

Teng 2015

Teng, Zhaowei; Zhu, Yun; Liu, Yugang; Wei, Guojun; Wang, Shuangneng; Du, Shaoliang; Zhang, Xiguang. Restrictive blood transfusion strategies and associated infection in orthopedic patients: a meta-analysis of 8 randomized controlled trials. *Scientific reports* 2015;5(Journal Article):13421. [DOI: <https://dx.doi.org/10.1038/srep13421>]

Walsh 2013

Walsh, Timothy S.; Boyd, Julia A.; Watson, Douglas; Hope, David; Lewis, Steff; Krishan, Ashma; Forbes, John F.; Ramsay, Pamela; Pearse, Rupert; Wallis, Charles; Cairns, Christopher; Cole, Stephen; Wyncoll, Duncan; Investigators, RELIEVE; Walsh T, Hope D, Ramsay P, Antonelli J, Ray D, Wilson E, Wallis C, McLellan S, Harris G, McCulloch C, Cairns C, Hawkins M, Grant J, Cole S, Mellor I, Joss J, Crofts S, O'Brien P, Southward J, Wyncoll D, McLuckie A, Tilley R, Treacher D, Jones A, Terblanche M, Barrett N, Beale R, Langrish C, Ostermann M, Hindocha R, Glover G, Tricklebank S, Shankar Hari M, Pattani H, Lei K, Lim YL, Sanderson B, Sherry A, Smith J, Pearse R, Smith A, Paredes LG, Niebrzegowska E, McLellan B, Prowse C, Pelly J, Watson D, Davidson H, McMillan L, MacRury C, Glover A, Forbes J, Lewis S, Krishan A, Boyd J, Oatey K, Milne G.. Restrictive versus liberal transfusion strategies for older mechanically ventilated critically ill patients: a randomized pilot trial. *Critical Care Medicine* 2013;41(10):2354-63. [DOI: <https://dx.doi.org/10.1097/CCM.0b013e318291c0e4>]

Wang 2013

Wang, Juan; Bao, Yong-Xin; Bai, Ming; Zhang, Yong-Guo; Xu, Wen-Da; Qi, Xing-Shun. Restrictive vs liberal transfusion for upper gastrointestinal bleeding: a meta-analysis of randomized controlled trials. *World journal of gastroenterology* 2013;19(40):6919-27. [DOI: <https://dx.doi.org/10.3748/wjg.v19.i40.6919>]

Yaddanapudi 2014

Yaddanapudi S.; Yaddanapudi L.N.. Indications for blood and blood product transfusion. *Indian Journal of Anaesthesia* 2014;58(5):538-542. [DOI: <http://dx.doi.org/10.4103/0019-5049.144648>]

Yakymenko 2017

Yakymenko, D.; Frandsen, K. B.; Christensen, I. J.; Norgaard, A.; Johansson, P. I.; Daugaard, G.; Mau-Sorensen, M.. Randomised feasibility study of a more liberal haemoglobin trigger for red blood cell transfusion compared to standard practice in anaemic cancer patients treated with chemotherapy. *Transfusion medicine* (Oxford, England) 2017;(Journal Article). [DOI: <https://dx.doi.org/10.1111/tme.12439>]

Yazer 2014

Yazer H.. When, how and why to transfuse. *Vox sanguinis* 2014;107(Journal Article):21. [DOI: <http://dx.doi.org/10.1111/vox.12153>]