

Characteristics of studies

Characteristics of excluded studies

Aubron 2017

Reason for exclusion	review
----------------------	--------

Bergamin 2014

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Brierley 2014

Reason for exclusion	Wrong setting
----------------------	---------------

Carson 2013

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Carson 2015

Reason for exclusion	Duplicate data
----------------------	----------------

Chkhaidze 2014

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Cholette 2014

Reason for exclusion	Paediatric population
----------------------	-----------------------

Cholette 2017

Reason for exclusion	Wrong patient population
----------------------	--------------------------

deGast Bakker 2013

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Docherty 2016

Reason for exclusion	Abstract
----------------------	----------

Holst 2014

Reason for exclusion	Data in metaanalysis
----------------------	----------------------

Holst 2016

Reason for exclusion	review
----------------------	--------

Hovaguimian 2016

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Kilic 2014

Reason for exclusion	review
----------------------	--------

Mazer 2016

Reason for exclusion	Protocol
----------------------	----------

Moller 2017

Reason for exclusion	Protocol
----------------------	----------

Murphy 2015a

Reason for exclusion	Protocol
----------------------	----------

Nakamura 2015

Reason for exclusion	Duplicate data
----------------------	----------------

Patel 2015

Reason for exclusion	review
----------------------	--------

Patel 2017

Reason for exclusion	review
----------------------	--------

Pike 2015

Reason for exclusion	Protocol
----------------------	----------

Pike 2017

Reason for exclusion	Wrong outcomes
----------------------	----------------

Puch 2017

Reason for exclusion	review
----------------------	--------

Reeves 2016

Reason for exclusion	review
----------------------	--------

Royse 2015

Reason for exclusion	Protocol
----------------------	----------

Shehata 2018

Reason for exclusion	Protocol
----------------------	----------

So Osman 2013

Reason for exclusion	Data in metaanalysis
----------------------	----------------------

Stokes 2016

Reason for exclusion	Wrong study design
----------------------	--------------------

Walsh 2013

Reason for exclusion	Wrong study design
----------------------	--------------------

Wang 2017

Reason for exclusion	review
----------------------	--------

Wilkinson 2014

Reason for exclusion	Wrong patient population
----------------------	--------------------------

Wu 2014

Reason for exclusion	review
----------------------	--------

Footnotes

References to studies**Excluded studies****Aubron 2017**

Aubron C.. Making transfusion decisions in critical care. Vox sanguinis 2017;112(Journal Article):12-13. [DOI: <http://dx.doi.org/10.1111/vox.12530>]

Bergamin 2014

Bergamin F.; Almeida J.; Park C.; Osawa E.; Silva J.; Galas F.; Nagaoka D.; Fukushima J.; Vieira S.; Candido L.; Oshiro C.O.; Vincent J.L.; Hajjar L.. Transfusion requirements in septic shock patients: A randomized controlled trial. Critical Care 2014;18(Journal Article):S39. [DOI: <http://dx.doi.org/10.1186/cc13302>]

Brierley 2014

Brierley, Rachel C. M.; Pike, Katie; Miles, Alice; Wordsworth, Sarah; Stokes, Elizabeth A.; Mumford, Andrew D.; Cohen, Alan; Angelini, Gianni D.; Murphy, Gavin J.; Rogers, Chris A.; Reeves, Barnaby C.. A multi-centre randomised controlled trial of Transfusion Indication Threshold Reduction on transfusion rates, morbidity and healthcare resource use following cardiac surgery: study protocol. Transfusion and apheresis science : official journal of the World Apheresis Association : official journal of the European Society for Haemapheresis 2014;50(3):451-61. [DOI: <https://dx.doi.org/10.1016/j.transci.2014.02.020>]

Carson 2013

Carson J.L.; Brooks M.M.; Abbott J.D.; Chaitman B.; Kelsey S.F.; Trulzi D.J.; Srinivas V.; Menegus M.A.; Marroquin O.C.; Rao S.V.; Noveck H.; Passano E.; Hardison R.M.; Smitherman T.; Vagaonescu T.; Wimmer N.J.; Williams D.O.. Liberal versus restrictive transfusion thresholds for patients with symptomatic coronary artery disease. *American Heart Journal* 2013;165(6):964. [DOI:]

Carson 2015

Carson, Jeffrey L.; Sieber, Frederick; Cook, Donald Richard; Hoover, Donald R.; Noveck, Helaine; Chaitman, Bernard R.; Fleisher, Lee; Beaupre, Lauren; Macaulay, William; Rhoads, George G.; Paris, Barbara; Zagorin, Aleksandra; Sanders, David W.; Zakriya, Khwaja J.; Magaziner, Jay. Liberal versus restrictive blood transfusion strategy: 3-year survival and cause of death results from the FOCUS randomised controlled trial. *Lancet (London, England)* 2015;385(9974):1183-9. [DOI: [https://dx.doi.org/10.1016/S0140-6736\(14\)62286-8](https://dx.doi.org/10.1016/S0140-6736(14)62286-8)]

Chkhaidze 2014

Chkhaidze M.; Metrevelli I.; Tsintsadze A.. Comparison of two RBC transfusion strategies in pediatric cardiac surgery patients. *European journal of anaesthesiology* 2014;31(Journal Article):92. [DOI:]

Cholette 2014

Cholette J.; Rubenstein J.; Henrichs K.; Powers K.; Daugherty L.; Swartz M.; Alfieris G.; Blumberg N.. Results of a restrictive V. liberal transfusion strategy in neonatal and infant cardiac surgery. *Critical Care Medicine* 2014;42(12):A1407. [DOI: <http://dx.doi.org/10.1097/01.ccm.0000457692.41915.76>]

Cholette 2017

Cholette J.M.; Swartz M.F.; Rubenstein J.; Henrichs K.F.; Wang H.; Powers K.S.; Daugherty L.E.; Alfieris G.M.; Gensini F.; Blumberg N.. Outcomes Using a Conservative Versus Liberal Red Blood Cell Transfusion Strategy in Infants Requiring Cardiac Operation. *Annals of Thoracic Surgery* 2017;103(1):206-214. [DOI: <http://dx.doi.org/10.1016/j.athoracsur.2016.05.049>]

deGast Bakker 2013

de Gast-Bakker, ,D.H.; de Wilde, ,R.B.P.; Hazekamp, M. G.; Sojak, V.; Zwaginga, J. J.; Wolterbeek, R.; de Jonge, E.; Gesink-van der Veer, ,B.J.. Safety and effects of two red blood cell transfusion strategies in pediatric cardiac surgery patients: a randomized controlled trial. *Intensive care medicine* 2013;39(11):2011-9. [DOI: <https://dx.doi.org/10.1007/s00134-013-3085-7>]

Docherty 2016

Docherty A.; O'Donnell R.; Brunskill S.; Trivella M.; Doree C.; Holst L.; Parker M.; Gregersen M.; Almeida J.; Walsh T.; Stanworth S.. The impact of transfusion thresholds on mortality and cardiovascular events in patients with cardiovascular disease (non-cardiac surgery): A systematic review and meta-analysis. *Critical Care* 2016;20(Journal Article). [DOI: <http://dx.doi.org/10.1186/s13054-016-1208-6>]

Holst 2014

Holst, Lars B.; Haase, Nicolai; Wetterslev, Jorn; Wernerman, Jan; Guttormsen, Anne B.; Karlsson, Sari; Johansson, Par I.; Aneman, Anders; Vang, Marianne L.; Winding, Robert; Nebrich, Lars; Nibro, Helle L.; Rasmussen, Bodil S.; Lauridsen, Johnny R. M.; Nielsen, Jane S.; Oldner, Anders; Pettila, Ville; Cronhjort, Maria B.; Andersen, Lasse H.; Pedersen, Ulf G.; Reiter, Nanna; Wiis, Jorgen; White, Jonathan O.; Russell, Lene; Thornberg, Klaus J.; Hjortrup, Peter B.; Muller, Rasmus G.; Moller, Morten H.; Steensen, Morten; Tjader, Inga; Kilsand, Kristina; Odeberg-Wernerman, Suzanne; Sjobo, Brit; Bundgaard, Helle; Thyo, Maria A.; Lodahl, David; Maerkedah, Rikke; Albeck, Carsten; Illum, Dorte; Kruse, Mary; Winkel, Per; Perner, Anders; TRISS, Trial Group; Scandinavian Critical Care, Trials Group. Lower versus higher hemoglobin threshold for transfusion in septic shock. *The New England journal of medicine* 2014;371(15):1381-91. [DOI: <https://dx.doi.org/10.1056/NEJMoa1406617>]

Holst 2016

Holst, Lars Brokso. Benefits and harms of red blood cell transfusions in patients with septic shock in the intensive care unit. *Danish medical journal* 2016;63(2). [DOI:]

Hovaguimian 2016

Hovaguimian, Frederique; Myles, Paul S.. Restrictive versus Liberal Transfusion Strategy in the Perioperative and Acute Care Settings: A Context-specific Systematic Review and Meta-analysis of Randomized Controlled Trials. *Anesthesiology* 2016;125(1):46-61. [DOI: <https://dx.doi.org/10.1097/ALN.0000000000001162>]

Kilic 2014

Kilic, Arman; Whitman, Glenn J. R.. Blood transfusions in cardiac surgery: indications, risks, and conservation strategies. *The Annals of Thoracic Surgery* 2014;97(2):726-34. [DOI: <https://dx.doi.org/10.1016/j.athoracsur.2013.08.016>]

Mazer 2016

Mazer D.; Shehata N.; Fergusson D.; Whitlock R.; Thorpe K.; Mateo E.; Carmona P.; Galan J.; Gonzalez A.; Gajate L.; Ors M.; Alonso-Coello P.; Urrutia G.; Martinez-Zapata M.J.. Transfusion requirements in cardiac surgery iii (trics-iii): Clinical trial protocol. *Basic and Clinical Pharmacology and Toxicology* 2016;119(Journal Article):29. [DOI:]

Moller 2017

Moller A.; Nielsen H.; Wetterslev J.; Pedersen O.; Hellemann D.; Shahidi S.. Low vs high haemoglobin trigger for perioperative separation of red blood cell transfusion in vascular surgery: A randomised, analyst blinded, feasibility trial (the TV trial). *Vox sanguinis* 2017;112(Journal Article):267-268. [DOI: <http://dx.doi.org/10.1111/vox.12530>]

Murphy 2015a

Murphy G.J.. Titre2. *Vox sanguinis* 2015;109(Journal Article):49. [DOI:]

Nakamura 2015

Nakamura, Rosana Ely; Vincent, Jean-Louis; Fukushima, Julia Tizue; de Almeida, Juliano Pinheiro; Franco, Rafael Alves; Lee Park, Clarice; Osawa, Eduardo Atsushi; Pinto Silva, Carolina Maria; Costa Auler, Jose Otavio Jr; Landoni, Giovanni; Barbosa, Gomes Galas; Filho, Roberto Kalil; Hajjar, Ludhmila Abrahao. A liberal strategy of red blood cell transfusion reduces cardiogenic shock in elderly patients undergoing cardiac surgery. *The Journal of thoracic and cardiovascular surgery* 2015;150(5):1314-20. [DOI: <https://dx.doi.org/10.1016/j.jtcvs.2015.07.051>]

Patel 2015

Patel, Nishith N.; Avlonitis, Vassilios S.; Jones, Hayley E.; Reeves, Barnaby C.; Sterne, Jonathan A. C.; Murphy, Gavin J.. Indications for red blood cell transfusion in cardiac surgery: a systematic review and meta-analysis. *The Lancet.Haematology* 2015;2(12):e543-53. [DOI: [https://dx.doi.org/10.1016/S2352-3026\(15\)00198-2](https://dx.doi.org/10.1016/S2352-3026(15)00198-2)]

Patel 2017

Patel, Nishith N.; Murphy, Gavin J.. Evidence-Based Red Blood Cell Transfusion Practices in Cardiac Surgery. *Transfusion medicine reviews* 2017;31(4):230-235. [DOI: <https://dx.doi.org/10.1016/j.tmr.2017.06.001>]

Pike 2015

Pike, Katie; Nash, Rachel L.; Murphy, Gavin J.; Reeves, Barnaby C.; Rogers, Chris A.. Transfusion Indication Threshold Reduction (TITRe2) randomized controlled trial in cardiac surgery: statistical analysis plan. *Trials* 2015;16(Journal Article):54. [DOI: <https://dx.doi.org/10.1186/s13063-015-0564-x>]

Pike 2017

Pike, Katie; Maishman, Rachel L.; Brierley, Rachel C. M.; Rogers, Chris A.; Murphy, Gavin J.; Reeves, Barnaby C.. Adherence to transfusion strategies in a randomized controlled trial: experiences from the TITRe2 trial. *British journal of haematology* 2017;179(2):346-349. [DOI: <https://dx.doi.org/10.1111/bjh.14220>]

Puch 2017

Puch I.C.; Wiley B.M.; Klein H.G.; Welsh J.; Danner R.L.; Sun J.; Eichacker P.; Natanson C.. Restrictive red blood cell transfusion strategies in patients with cardiovascular disease: A meta-analysis. *American Journal of Respiratory and Critical Care Medicine* 2017;195(Journal Article). [DOI: <http://dx.doi.org/10.1164/ajrcmconference.2017.C51>]

Reeves 2016

Reeves, Barnaby C.; Pike, Katie; Rogers, Chris A.; Brierley, Rachel Cm; Stokes, Elizabeth A.; Wordsworth, Sarah; Nash, Rachel L.; Miles, Alice; Mumford, Andrew D.; Cohen, Alan; Angelini, Gianni D.; Murphy, Gavin J.. A multicentre randomised controlled trial of Transfusion Indication Threshold Reduction on transfusion rates, morbidity and health-care resource use following cardiac surgery (TITRe2). *Health technology assessment (Winchester, England)* 2016;20(60):1-260. [DOI: <https://dx.doi.org/10.3310/hta20600>]

Royse 2015

Royse A.; Royse C.; Scott D.; Shehata N.; Mazer D.. Trics-III prospective randomised controlled trial of a restrictive or liberal blood transfusion protocol. *Heart Lung and Circulation* 2015;24(Journal Article):e5-e6. [DOI: <http://dx.doi.org/10.1016/j.hlc.2014.12.015>]

Shehata 2018

Shehata N.; Whitlock R.; Fergusson D.A.; Thorpe K.E.; MacAdams C.; Grocott H.P.; Rubens F.; Fremes S.; Lellouche F.; Bagshaw S.; Royse A.; Rosseel P.M.; Hare G.; Medicis E.D.; Hudson C.; Belley-Cote E.; Bainbridge D.; Kent B.; Shaw A.; Byrne K.; Syed S.; Royse C.F.; McGuinness S.; Hall J.; Mazer C.D.. Transfusion Requirements in Cardiac Surgery III (TRICS III): Study Design of a Randomized Controlled Trial. *Journal of cardiothoracic and vascular anesthesia* 2018;32(1):121-129. [DOI: <http://dx.doi.org/10.1053/j.jvca.2017.10.036>]

So Osman 2013

So-Osman, Cynthia; Nelissen, Rob; Brand, Ronald; Faber, Frank; Slaa, Ron Te; Stiggelbout, Anne; Brand, Anneke. The impact of a restrictive transfusion trigger on post-operative complication rate and well-being following elective orthopaedic surgery: a post-hoc analysis of a randomised study. *Blood transfusion = Trasfusione del sangue* 2013;11(2):289-95. [DOI: <https://dx.doi.org/10.2450/2013.0172-12>]

Stokes 2016

Stokes, E. A.; Wordsworth, S.; Bargo, D.; Pike, K.; Rogers, C. A.; Brierley, R. C. M.; Angelini, G. D.; Murphy, G. J.; Reeves, B. C.; Investigators, TITRe2. Are lower levels of red blood cell transfusion more cost-effective than liberal levels after cardiac surgery? Findings from the TITRe2 randomised controlled trial. *BMJ open* 2016;6(8):e011311. [DOI: <https://dx.doi.org/10.1136/bmjopen-2016-011311>]

Walsh 2013

Walsh, Timothy S.; Boyd, Julia A.; Watson, Douglas; Hope, David; Lewis, Steff; Krishan, Ashma; Forbes, John F.; Ramsay, Pamela; Pearse, Rupert; Wallis, Charles; Cairns, Christopher; Cole, Stephen; Wyncoll, Duncan; Investigators, RELIEVE. Restrictive versus liberal transfusion strategies for older mechanically ventilated critically ill patients: a randomized pilot trial. *Critical Care Medicine* 2013;41(10):2354-63. [DOI: <https://dx.doi.org/10.1097/CCM.0b013e318291cce4>]

Wang 2017

Wang, Yushu; Shi, Xiuli; Wen, Meiqin; Chen, Yucheng; Zhang, Qing. Restrictive versus liberal blood transfusion in patients with coronary artery disease: a meta-analysis. *Current medical research and opinion* 2017;33(4):761-768. [DOI: <https://dx.doi.org/10.1080/03007995.2017.1280010>]

Wilkinson 2014

Wilkinson, Kirstin L.; Brunskill, Susan J.; Doree, Carolyn; Trivella, Marialena; Gill, Ravi; Murphy, Michael F.. Red cell transfusion management for patients undergoing cardiac surgery for congenital heart disease. *The Cochrane database of systematic reviews* 2014;(2):CD009752. [DOI: <https://dx.doi.org/10.1002/14651858.CD009752.pub2>]

Wu 2014

Wu, Qinjuan; Zhou, Ronghua; Liu, Bin. Systematic review of transfusion strategies for cardiac surgery]. *Sheng wu yi xue gong cheng xue za zhi = Journal of biomedical engineering = Shengwu yixue gongchengxue zazhi* 2014;31(2):319-26. [DOI:]