

Søgeprotokol for Nationale Kliniske Anbefalinger

Projekttitel/aspekt	NKA Demens - Primærlitteratur
Fagkonsulent	Pernille Hølmkjær
Metodekonsulent	Anja Ussing
Projektleder	Matilde Bøgelund Hansen
Søgespecialist	Kirsten Birkefoss
Senest opdateret	20.03.2024

PIRO/PICOs	PICO 1: Bør man anvende strukturerede og målrettede interventioner med fokus på aktivitet, deltagelse og interpersonel relationsdannelse rettet mod personer med demens og adfærdsmæssige og psykiske symptomer? PICO 2: Bør man anvende strukturerede og målrettede interventioner med fokus på fysiske omgivelsesfaktorer rettet mod personer med demens og adfærdsmæssige og psykiske symptomer? PICO 3: Bør man anvende antipsykotisk - eller beroligende lægemiddel til kortvarig behandling af svære adfærdsmæssige og psykiske symptomer hos personer med demens hvor der er risiko for at personen er til skade for selv eller andre, eller hvor personen er svært psykisk forpint PICO 3 kvalitativ søgning: Hvad er sundhedsprofessionelles oplevelser og erfaringer med samt forventninger til opstart, brug og seponering af antipsykotika ved adfærdsmæssige og psykiske symptomer ved demens? PICO 4: Bør man anvende andengenerations antipsykotika til personer med demens og BPSD?
Søgetermer	Se søgestrategierne under de enkelte PICOs/PIROs
Inklusions- og eksklusionskriterier	<u>Sprog:</u> Engelsk, dansk, norsk, svensk, spansk, portugisisk <u>År:</u> Se de enkelte PICOs <u>Population:</u> PICO 1, 2, 3, 4: Demensramte; PICO 3 kvalitativ forskning: Sundhedsprofessionelle <u>Publikationstyper:</u> PICO 1, 2, 3, 4: Randomiserede studier; PICO 3 kvalitativ forskning: Kvalitative studier

Informationskilder

DATABASE	INTERFACE	DATO FOR SØGNING
Medline	OVID	22.11.2023 – 20.03.2024
EMBASE	OVID	22.11.2023 – 20.03.2024
PsycInfo (PICO 1, 3 kval)	OVID	16.01.2024
Cinahl (PICO 1, 2, 3 kval)	EBSCO	16.01.2024

Note

- Søgetermer og inklusions- og eksklusionskriterier er tilpasset de enkelte databaser.
- Dubletter er så vidt muligt frasorteret ved hjælp af RefWorks. De fundne referencer overføres til Covidence (referenceværktøj)
- Fuldtekster præsenteres i Covidence i pdf-format
- Søgestrategi for hver enkelt database præsenteres – hvis muligt vises det eksplicit hvor mange referencer den enkelte søgestreng genererer

SØGESTRATEGI

Søgning efter primærlitteratur

PICO 1: Bør man anvende strukturerede og målrettede interventioner med fokus på aktivitet, deltagelse og interpersonel relationsdannelse rettet mod personer med demens og adfærdsmæssige og psykiske symptomer?

Søgt 24.01.2024

Medline

Database(s): **Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations, Daily and Versions** 1946 to January 23, 2024

Search Strategy:

#	Searches	Results
1	exp Dementia/	211050
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or (Frontotemporal adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,bt,kf.	219130
3	or/1-2	281371
4	Psychosocial Intervention/	1067
5	Social participation/	3564
6	((psychosocial or psycho-social or psychological or neuro-psychologic* or neuropsychologic*) adj3 (therap* or treatment* or intervention* or program* or approach* or action* or rehabilitation or outcome*)).ti,bt,ab,kf.	59608
7	((social or interpersonal or inter-personal or emotion-oriented or meaningful or purposeful) adj3 (activit* or stimulat* or interaction* or participat* or approach* or action* or training or relation* or empowerment or engagement)).ti,bt,ab,kf.	110018
8	((relation based or relation-based or emotion-oriented) adj3 (activit* or therap* or treat* or intervention* or program* or approach* or action* or training* or rehabilitation)).ti,bt,ab,kf.	33

9	(cognitive adj2 stimulation).ti,bt,ab,kf.	1657
10	((non-verbal or nonverbal or verbal) adj3 (communication or stimulat* or interaction or training)).ti,bt,ab,kf.	5397
11	((communication or dialog* or conversation*) adj6 (stimulation or activit* or interaction or meaningful or engagement)).ti,bt,ab,kf.	12566
12	"Activities of Daily Living"/	74070
13	(activities adj2 living).ti,bt,ab,kf.	2832
14	(occupational therapy adj3 intervention*).ti,bt,ab,kf.	1115
15	(communication adj1 (aid* or device*)).ti,bt,ab,kf.	1747
16	montessori*.ti,bt,ab,kf.	156
17	or/4-16	257471
18	3 and 17	11458
19	limit 18 to (randomized controlled trial or controlled clinical trial)	1058
20	((((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,bt,ab,kf.	917843
21	placebo*.ti,bt,ab,kf,hw.	267565
22	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,bt,ab,kf.	4546
23	((single or double or triple) adj2 (blind*3 or mask*3) adj2 (method or studies)).ti,bt,ab,kf.	4632
24	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,ab.	316928
25	or/20-24	1149039
26	18 and 25	1859
27	19 or 26	2036
28	limit 27 to (yr="2020-2024" and (english or danish or norwegian or swedish or spanish or portuguese))	622
29	limit 28 to (systematic review or review or editorial or letter or news)	175
30	28 not 29	447
31	(prevalence or cancer or neoplasm*).ti,bt,kf,hw.	3990679
32	Diagnosis/ or Screening/	134429
33	or/31-32	4074270
34	30 not 33	440
35	exp qualitative research/	85516
36	(qualitative adj (stud* or research or analy*)).ti,bt,kf,hw.	116351

37	or/35-36	116724
38	34 not 37	433

Embase

Database(s): **Embase** 1974 to 2024 January 23

Search Strategy:

#	Searches	Results
1	exp Dementia/	455335
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or (Frontotemporal adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,bt,kf.	304265
3	or/1-2	510323
4	Psychosocial Intervention/	2346
5	Social participation/	10533
6	Social interaction/	74243
7	((psychosocial or psycho-social or psychological or neuro-psychologic* or neuropsychologic*) adj3 (therap* or treatment* or intervention* or program* or approach* or action* or rehabilitation or outcome*)).ti,bt,ab,kf.	82749
8	(cognitive adj2 stimulation).ti,bt,ab,kf.	2256
9	((social or interpersonal or inter-personal or emotion-oriented or meaningful or purposeful) adj3 (activit* or stimulat* or interaction* or participat* or approach* or action* or training or relation* or empowerment or engagement)).ti,bt,ab,kf.	134810
10	((relation based or relation-based or emotion-oriented) adj3 (activit* or therap* or treat* or intervention* or program* or approach* or action* or training* or rehabilitation)).ti,bt,ab,kf.	39
11	((non-verbal or nonverbal or verbal) adj3 (communication or stimulat* or interaction or training)).ti,bt,ab,kf.	7358
12	((communication or dialog* or conversation*) adj6 (stimulation or activit* or interaction or meaningful or engagement)).ti,bt,ab,kf.	15929

13	Daily Life Activity/	118146
14	(activities adj2 living).ti,bt,ab,kf.	4148
15	(occupational therapy adj3 intervention*).ti,bt,ab,kf.	1433
16	(communication adj1 (aid* or device*)).ti,bt,ab,kf.	2296
17	montessori.ti,bt,ab,kf.	163
18	or/4-17	395939
19	3 and 18	22693
20	limit 19 to (randomized controlled trial or controlled clinical trial)	2028
21	((((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,bt,ab,kf.	1277715
22	placebo*.ti,bt,ab,kf,hw.	532137
23	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,bt,ab,kf.	6976
24	((single or double or triple) adj2 (blind*3 or mask*3) adj2 (method or studies)).ti,bt,ab,kf.	7108
25	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,ab.	443654
26	or/21-25	1724805
27	19 and 26	3627
28	20 or 27	3978
29	limit 28 to (yr="2020-2024" and (english or danish or norwegian or swedish or spanish or portuguese))	1130
30	limit 29 to (systematic review or review or editorial or letter or news) [Limit not valid in Embase; records were retained]	274
31	29 not 30	856
32	(prevalence or cancer or neoplasm*).ti,bt,kf,hw.	5410071
33	Diagnosis/ or Screening/	1618074
34	or/32-33	6678184
35	31 not 34	794
36	exp qualitative research/	123605
37	(qualitative adj (stud* or research)).ti,bt,kf,hw.	138685
38	or/36-37	139351
39	35 not 38	775

PsycINFO

Database(s): **APA PsycInfo** 1806 to January Week 3 2024

Search Strategy:

#	Searches	Results
1	exp Dementia/	93787
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or (Frontotemporal adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,id.	110115
3	or/1-2	113972
4	exp Psychosocial Intervention/	2097
5	exp Social interaction/	816742
6	((psychosocial or psycho-social or psychological or neuro-psychologic* or neuropsychologic*) adj3 (therap* or treatment* or intervention* or program* or approach* or action* or rehabilitation or outcome*)).ti,ab,id.	65179
7	(cognitive adj2 stimulation).ti,ab,id.	1387
8	((social or interpersonal or inter-personal or emotion-oriented or meaningful or purposeful) adj3 (activit* or stimulat* or interaction* or participat* or approach* or action* or training or relation* or empowerment or engagement)).ti,ab,id.	170986
9	((relation based or relation-based or emotion-oriented) adj3 (activit* or therap* or treat* or intervention* or program* or approach* or action* or training* or rehabilitation)).ti,ab,id.	42
10	((non-verbal or nonverbal or verbal) adj3 (communication or stimulat* or interaction or training)).ti,ab,id.	10213
11	((communication or dialog* or conversation*) adj6 (stimulat* or activit* or interaction or meaningful or engagement)).ti,ab,id.	15634
12	"Activities of Daily Living"/	7035
13	(activities adj2 living).ti,ab,id.	984
14	(occupational therapy adj3 intervention*).ti,ab,id.	853
15	(communication adj1 (aid* or device*)).ti,ab,id.	1072
16	montessori.ti,ab,id.	659
17	or/4-16	990355

18	3 and 17	14944
19	exp Randomized Controlled Trials/	1550
20	((((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.	133380
21	placebo*.ti,ab,id.	44912
22	((single-blind* or double-blind* or triple-blind*) adj2 (method* or studies)).ti,ab,id.	1430
23	((single or double or triple) adj1 (blind* or mask*) adj2 (method* or studies)).ti,ab,id.	1433
24	((patient* or client* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,ab,id.	67802
25	or/19-24	196572
26	18 and 25	1350
27	limit 26 to (yr="2020-2024" and (english or danish or norwegian or swedish or spanish or portuguese))	313
28	limit 27 to (editorial or letter)	2
29	27 not 28	311
30	Systematic Review/ or Literature Review/	23860
31	29 not 30	309
32	(prevalence or cancer or neoplasm*).ti,id,hw.	106874
33	Diagnosis/ or Screening/	63164
34	or/32-33	164720
35	31 not 34	302
36	exp Qualitative Methods/	21730
37	(qualitative adj (stud* or research)).ti,id,hw.	28658
38	or/36-37	44369
39	35 not 38	300

Cinahl

#	Query	Limiters/Expanders	Results
S35	S29 NOT S34	Limiters - Publication Date: 20200501-20241231; Peer Reviewed; Language: Danish, English, Norwegian,	297

		Portuguese, Spanish, Swedish	
S34	S30 OR S31 OR S32 OR S33		358,520
S33	MH "Qualitative Studies+" OR TI qualitative analysis		191,560
S32	MH Literature Review		9,294
S31	MH Systematic Review		130,933
S30	PT Systematic Review		155,212
S29	S20 AND S28		1,671
S28	S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27		478,325
S27	(patient* or person* or participant* or population* or allocat* or assign*) N3 random*		173,261
S26	((single or double or triple) N2 (blind* or mask*)) N2 (method* or studies)		75,513
S25	((single-blind* or double-blind* or triple-blind*) N2 (method* or studies))		75,324
S24	Placebo*		79,221
S23	((((random* or cluster-random* or quasi-random* or control#ed or crossover or cross-over or blind* or mask*) N4 (trial* or study or studies or analy*)) or rct)		407,683
S22	MH Randomized Controlled Trials		141,353
S21	PT Randomized Controlled Trial		154,863
S20	S5 AND S19		12,678
S19	S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18		306,662
S18	montessori		130
S17	(communication N1 (aid* or device*))		2,978
S16	(occupational therapy N3 intervention*)		1,896
S15	(activities N2 living)		48,945
S14	MH "Activities of Daily Living"		38,938
S13	(communication or dialog* or conversation*) N6 (stimulation or activit* or interaction or meaningful or engagement)		7,998

S12	(non-verbal or nonverbal or verbal) N3 (communication or stimulat* or interaction or training)		5,981
S11	(relation based or relation-based or emotion-oriented) N3 (activit* or therap* or treat* or intervention* or program* or approach* or action* or training* or rehabilitation)		220
S10	(social or interpersonal or inter-personal or emotion-oriented or meaningful or purposeful) N3 (activit* or stimulat* or interaction* or participat* or approach* or action* or training or relation* or empowerment or engagement)		117,193
S9	(cognitive N2 stimulation)		890
S8	(psychosocial or psycho-social or psychological or neuro-psychologic* or neuropsychologic*) N3 (therap* or treatment* or intervention* or program* or approach* or action* or rehabilitation or outcome*)		48,009
S7	MH "Support, Psychosocial+"		105,356
S6	MH "Psychosocial Intervention"		1,092
S5	S1 OR S2 OR S3 OR S4		108,359
S4	SU (dementia* or alzheimer* or senile or presenile or pre-senile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary N3 Progressi* N3 aphasia) or (Frontotemporal N3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy N1 (body or bodies)) or DLB or (Parkinson* N4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL)		89,826
S3	TI (dementia* or alzheimer* or senile or presenile or pre-senile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary N3 Progressi* N3 aphasia) or (Frontotemporal N3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy N1 (body or bodies)) or DLB or (Parkinson* N4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL)		79,067
S2	MH "Dementia Patients"		4,502

S1	MH Dementia+		84,887
----	--------------	--	--------



PICO 2: Bør man anvende strukturerede og målrettede interventioner med fokus på fysiske omgivelsesfaktorer rettet mod personer med demens og adfærdsmæssige og psykiske symptomer?

Der er ikke søgt primærlitteratur for dette PICO.

PICO 3: Bør man anvende antipsykotisk - eller beroligende lægemiddel til kortvarig behandling af svære adfærdsmæssige og psykiske symptomer hos personer med demens hvor der er risiko for at personen er til skade for selv eller andre, eller hvor personen er svært psykisk forpint

PICO 3: Antipsykotika OG Benzodiazepiner 2013-2023

Søgt 22.11.2023

Medline

Database(s): **Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations, Daily and Versions** 1946 to November 21, 2023

Search Strategy:

#	Searches	Results
1	exp Dementia/	209216
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or (Frontotemporal adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,bt,ab,kf.	358955
3	or/1-2	390866
4	Antipsychotic Agents/	59791
5	(anti-psychotic* or antipsychotic* or anti psychotic* or ((major adj2 (tranquilizer* or tranquiliser*)) or Neuroleptics)).ti,bt,ab,kf.	56056
6	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) adj2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,ab,kf.	47300
7	Risperidone/ or Aripiprazole/ or Quetiapine Fumarate/ or Clozapine/ or Paliperidone Palmitate/ or Olanzapine/ or Lurasidone Hydrochloride/ or Cariprazine/ or Brexpiprazole/ or Amisulpride/ or Asenapine/ or Ziprasidone/	25111
8	(Risperidon* or Aripiprazol* or Quetiapin* or Clozapin* or Paliperidon* or Olanzapin* or Lurasidon* or Cariprazin* or Brexpiprazol* or Amisulprid* or Sulpirid* or Asenapin* or Ziprasidon* or Sertindol*).ti,bt,ab,kf.	39627

9	Flupentixol/ or Pimozide/ or Haloperidol/ or Chlorprothixene/	18874
10	(Flupentixol* or Pimozid* or Haloperidol* or Zuclopenthixol* or Zuclopenthixolacetat* or Melperon* or Pipamperon* or Chlorprothixen*).ti,bt,ab,kf.	21930
11	or/4-10	148830
12	Benzodiazepinones/	4348
13	Benzodiazepines/	24046
14	Anti-Anxiety Agents/	19643
15	(benzodiazepin* or Anxiolytics).ti,bt,ab,kf.	42342
16	((anti-anxiety or antianxiety or anti anxiety or Anxiolytic* or sedat*) adj3 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,ab,kf.	27598
17	Alprazolam/ or Bromazepam/ or Chlordiazepoxide/ or Clobazam/ or Clonazepam/ or Diazepam/ or Lorazepam/ or Oxazepam/	29164
18	(benzodiazepin* or BZD or Alprazolam or Bromazepam or Chlordiazepoxid* or Clobazam or Clonazepam or Diazepam or Lorazepam or Oxazepam).ti,bt,ab,kf.	63756
19	or/12-18	111564
20	3 and 11 and 19	1281
21	limit 20 to (randomized controlled trial or controlled clinical trial)	77
22	((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,kf.	908040
23	placebo*.ti,ab,kf.	252377
24	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab,kf.	4524
25	((single or double or triple) adj2 (blind*3 or mask*3) adj2 (method or studies)).ti,ab,kf.	4610
26	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,ab,kf.	313986
27	or/22-26	1126399
28	20 and 27	195
29	21 or 28	208
30	limit 29 to (yr="2013-2023" and (english or danish or norwegian or swedish or spanish or portuguese))	66

Embase

Database(s): **Embase** 1974 to 2023 November 21

Search Strategy:

#	Searches	Results
1	exp Dementia/	449141
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or (Frontotemporal adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,bt,ab,kf.	500060
3	or/1-2	613010
4	Neuroleptic agent/	91892
5	Atypical Antipsychotic Agent/	15878
6	(anti-psychotic* or antipsychotic* or anti psychotic* or ((major adj2 (tranquilizer* or tranquiliser*)) or Neuroleptics)).ti,bt,kf.	37370
7	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) adj2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,kf.	16191
8	amisulpride/ or aripiprazole/ or asenapine/ or brexpiprazole/ or clozapine/ or lurasidone/ or melperone/ or olanzapine/ or paliperidone/ or quetiapine/ or risperidone/ or ziprasidone/	101113
9	(Risperidon* or Aripiprazol* or Quetiapin* or Clozapin* or Paliperidon* or Olanzapin* or Lurasidon* or Cariprazin* or Brexpiprazol* or Amisulprid* or Sulpirid* or Asenapin* or Ziprasidon* or Sertindol*).ti,bt,ab,kf.	60291
10	chlorprothixene/ or flupentixol/ or haloperidol/ or pimozide/ or pipamperone/ or zuclopenthixol/	71247
11	(Flupentixol* or Pimozid* or Haloperidol* or Zuclopenthixol* or Zuclopenthixolacetat* or Melperon* or Pipamperon* or Chlorprothixen*).ti,bt,ab,kf.	27717
12	or/5-11	183048
13	Benzodiazepine/	32429
14	anxiolytic agent/	24710

15	(benzodiazepin* or Anxiolytics).ti,bt,kf.	24686
16	((anti-anxiety or antianxiety or anti anxiety or Anxiolytic* or sedat*) adj3 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,kf.	6387
17	alprazolam/ or bromazepam/ or chlordiazepoxide/ or clobazam/ or clonazepam/ or diazepam/ or lorazepam/ or oxazepam/	147096
18	(benzodiazepin* or BZD or Alprazolam or Bromazepam or Chlordiazepoxid* or Clobazam or Clonazepam or Diazepam or Lorazepam or Oxazepam).ti,bt,ab,kf.	91037
19	or/13-18	222239
20	3 and 12 and 19	3425
21	limit 20 to (randomized controlled trial or controlled clinical trial)	164
22	((((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,bt,ab,kf.	1260701
23	placebo*.ti,bt,ab,kf.	371298
24	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab.	6680
25	((single or double or triple) adj2 (blind*3 or mask*3) adj2 (method or studies)).ti,ab.	6808
26	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,bt,ab,kf.	438351
27	or/22-26	1568812
28	20 and 27	335
29	21 or 28	394
30	limit 29 to (yr="2013-2023" and (english or danish or norwegian or swedish or spanish or portuguese))	121

PICO 3: Antipsykotika ELLER Benzodiazepiner 2017-2023

Søgt 03.12.2023

Medline

Database(s): **Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations, Daily and Versions** 1946 to December 01, 2023

Search Strategy:

#	Searches	Results
1	exp Dementia/	209328
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or (Frontotemporal adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,bt,ab,kf.	359517
3	or/1-2	391444
4	Antipsychotic Agents/	59803
5	(anti-psychotic* or antipsychotic* or anti psychotic* or ((major adj2 (tranquilizer* or tranquiliser*)) or Neuroleptics)).ti,bt,ab,kf.	56133
6	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) adj2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,ab,kf.	47330
7	Risperidone/ or Aripiprazole/ or Quetiapine Fumarate/ or Clozapine/ or Paliperidone Palmitate/ or Olanzapine/ or Lurasidone Hydrochloride/ or Cariprazine/ or Brexpiprazole/ or Amisulpride/ or Asenapine/ or Ziprasidone/	25116
8	(Risperidon* or Aripiprazol* or Quetiapin* or Clozapin* or Paliperidon* or Olanzapin* or Lurasidon* or Cariprazin* or Brexpiprazol* or Amisulprid* or Sulpirid* or Asenapin* or Ziprasidon* or Sertindol*).ti,bt,ab,kf,hw.	43271
9	Flupentixol/ or Pimozide/ or Haloperidol/ or Chlorprothixene/	18875
10	(Flupentixol* or Pimozid* or Haloperidol* or Chlorprothixen* or Zuclopenthixol* or Melperon* or Pipamperon*).ti,bt,ab,kf,hw.	26710
11	or/4-10	149476

12	Benzodiazepines/	24055
13	Anti-Anxiety Agents/	19648
14	(benzodiazepin* or Anxiolytics).ti,bt,ab,kf.	42385
15	((anti-anxiety or antianxiety or anti anxiety or Anxiolytic* or sedat*) adj3 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,ab,kf.	27630
16	Alprazolam/ or Bromazepam/ or Chlordiazepoxide/ or Clobazam/ or Clonazepam/ or Diazepam/ or Lorazepam/ or Oxazepam/	29164
17	(benzodiazepin* or BZD or Abecarnil* or Adinazolam* or Alprazolam* or Arfendazam* or Bentazepam* or Bretazenil* or Bromazepam* or Bromazepamor* or Brotizolam* or Camazepam* or Chlordiazepoxid* or Chlordesmethyldiazepam* or Cinolazepam* or Clobazam* or Clonazepam* or Clorazepate* or Chlorazepate* or Clotiazepam* or Cloxazolam* or Delorazepam* or Demoxepam* or Desmethyldiazepam* or Desoxydemoxepamor* or Devazepide* or Diazepam* or Doxefazepam* or Estazolam* or Fludiazepamor* or Flunitrazepam* or Flurazepam* or dealkylflurazepam* or Flutoprazepam* or Fosazepam* or Gidazepam* or Girisopam* or Halazepamor* or Haloxazolam* or Ketazolam* or Loflazepate* or Loprazolam* or Lorazepam* or Lormetazepam* or Meclonazepam* or Medazepam* or Metaclazepam* or Mexazolam* or Midazolam* or Nerisopam* or Nimetazepam* or Nitrazepam* or Norchlordiazepoxide* or Norclobazamor* or Nordazepam* or Norfludiazepam* or Norflunitrazepam* or Oxazepam* or Oxazolam* or Phenazepamor* or Pinazepam* or Prazepam* or Premazepam* or Propazepam* or Quazepam* or Ripazepam* or Serazepine* or Sograzepide* or Talampanelor* or Tarazepide* or Temazepam* or Tetrazepam* or Tofisopam* or Triazolam*).ti,bt,ab,kf,hw.	100425
18	or/12-17	125394
19	3 and (11 or 18)	10464
20	limit 19 to (randomized controlled trial or controlled clinical trial)	582
21	((((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,kf.	909358
22	placebo*.ti,ab,kf.	252589
23	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab,kf.	4528
24	((single or double or triple) adj2 (blind*3 or mask*3) adj2 (method or studies)).ti,ab,kf.	4614
25	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,ab,kf.	314321

26	or/21-25	1127911
27	19 and 26	1394
28	20 or 27	1502
29	limit 28 to (yr="2017-2023" and (english or danish or norwegian or swedish or spanish or portuguese))	435

Embase

Database(s): **Embase** 1974 to 2023 December 01

Search Strategy:

#	Searches	Results
1	exp Dementia/	450391
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or (Frontotemporal adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,bt,ab,kf.	501526
3	or/1-2	614768
4	Neuroleptic agent/	91994
5	Atypical Antipsychotic Agent/	15885
6	(anti-psychotic* or antipsychotic* or anti psychotic* or ((major adj2 (tranquilizer* or tranquiliser*)) or Neuroleptics)).ti,bt,ab,kf.	87527
7	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) adj2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,ab,kf.	59736
8	Risperidone/ or Aripiprazole/ or Quetiapine/ or Clozapine/ or Paliperidone/ or Olanzapine/ or Lurasidone/ or Cariprazine/ or Brexpiprazole/ or Amisulpride/ or Asenapine/ or Ziprasidone/	101238

9	(Risperidon* or Aripiprazol* or Quetiapin* or Clozapin* or Paliperidon* or Olanzapin* or Lurasidon* or Cariprazin* or Brexpiprazol* or Amisulprid* or Sulpirid* or Asenapin* or Ziprasidon* or Sertindol*).ti,bt,ab,kf,hw.	114385
10	chlorprothixene/ or flupentixol/ or haloperidol/ or melperone/ or pimozide/ or pipamperone/ or zuclopenthixol/	71686
11	(Flupentixol* or Pimozid* or Haloperidol* or Chlorprothixen* or Zuclopenthixol* or Melperon* or Pipamperon*).ti,bt,ab,kf,hw.	75168
12	or/4-11	273506
13	Benzodiazepine/	32491
14	anxiolytic agent/	24751
15	(benzodiazepin* or Anxiolytics).ti,bt,ab,kf.	62366
16	((anti-anxiety or antianxiety or anti anxiety or Anxiolytic* or sedat*) adj3 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,ab,kf.	38442
17	alprazolam/ or bromazepam/ or chlordiazepoxide/ or clobazam/ or clonazepam/ or diazepam/ or lorazepam/ or oxazepam/	147332
18	(benzodiazepin* or BZD or Abecarnil* or Adinazolam* or Alprazolam* or Arfendazam* or Bentazepam* or Bretazenil* or Bromazepam* or Bromazepamor* or Brotizolam* or Camazepam* or Chlordiazepoxid* or Chlordesmethyl diazepam* or Cinolazepam* or Clobazam* or Clonazepam* or Clorazepate* or Chlorazepate* or Clotiazepam* or Cloxazolam* or Delorazepam* or Demoxepam* or Desmethyldiazepam* or Desoxydemoxepamor* or Devazepide* or Diazepam* or Doxefazepam* or Estazolam* or Fludiazepamor* or Flunitrazepam* or Flurazepam* or dealkylflurazepam* or Flutoprazepam* or Fosazepam* or Gidazepam* or Girisopam* or Halazepamor* or Haloxazolam* or Ketazolam* or Loflazepate* or Loprazolam* or Lorazepam* or Lormetazepam* or Meclonazepam* or Medazepam* or Metaclozepam* or Mexazolam* or Midazolam* or Nerisopam* or Nimetazepam* or Nitrazepam* or Norchlordiazepoxide* or Norclobazamor* or Nordazepam* or Norfludiazepam* or Norflunitrazepam* or Oxazepam* or Oxazolam* or Phenazepamor* or Pinazepam* or Prazepam* or Premazepam* or Propazepam* or Quazepam* or Ripazepam* or Serazepine* or Sograzepide* or Talampanelor* or Tarazepide* or Temazepam* or Tetrazepam* or Tofisopam* or Triazolam*).ti,bt,ab,kf,hw.	285609
19	or/13-18	321691
20	3 and (12 or 19)	29738

21	limit 20 to (randomized controlled trial or controlled clinical trial)	1487
22	((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,bt,ab,kf.	1264137
23	placebo*.ti,bt,ab,kf.	372069
24	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab.	6684
25	((single or double or triple) adj2 (blind*3 or mask*3) adj2 (method or studies)).ti,ab.	6812
26	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,bt,ab,kf.	439552
27	or/22-26	1572865
28	20 and 27	2888
29	21 or 28	3359
30	limit 29 to (yr="2017-2023" and (english or danish or norwegian or swedish or spanish or portuguese))	1058

PICO 3 kvalitativ søgning: Hvad er sundhedsprofessionelles oplevelser og erfaringer med samt forventninger til opstart, brug og seponering af antipsykotika ved adfærdsmæssige og psykiske symptomer ved demens?

Søgt 16.01.2024

Medline

Database(s): Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations, Daily and Versions 1946 to January 12, 2024

Search Strategy:

#	Searches	Results
1	exp Dementia/	210613
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or ((Frontotemporal or cognitive) adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,bt,ab,kf.	362356
3	(nursing home* or long-term-care or long-term care or long term care or LTC or LTCF* or retirement home* or care home* or assisted living or residential care or residential facilit* or home care or domestic care or aged or elderly or (old* adj1 people) or seniors).ti,bt,ab,kf,hw.	6159332
4	or/1-3	6383343
5	Antipsychotic Agents/	59934
6	(anti-psychotic* or antipsychotic* or anti psychotic* or psycho-tropic* or psychotropic* or ((major adj2 (tranquilizer* or tranquiliser*)) or Neuroleptics)).ti,bt,ab,kf.	73704
7	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) adj2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,ab,kf.	47505
8	or/5-7	125500
9	exp Health Personnel/	624526

10	exp Administrative Personnel/	42537
11	exp Health Services/	2460334
12	(Health personnel or health professional* or health worker* or health staff or health aide* or Medical personnel or medical staff or doctor* or physician* or Geriatrician* or Care staff or care personnel or medical expertise or nurse* or nursing staff or nursing personnel or nursing assistant* or physician* or care provider* or general practitioner* or GP or GPs or hospital personnel or hospital staff or hospital aide* or gerontologist* or gerontopsychiatrist* or psychiatrist* or psychotherapist* or paramedic* or pharmacist* or judicial or outreach team* or team leader* or occupational therapist* or physiotherapist* or physical therapist* or music therapist*).ti,bt,ab,kf,hw.	1576861
13	(Nursing Home* or long-term-care or long-term care or long term care or LTC or LTCF* or Elder home* or elderhome* or Residential home* or Long time care home* or Retirement care or retirement home* or care home* or Home-based primary care or Home-based care or Skilled nursing facilit* or care facilit* or care agenc* or Elderly care or Elder care or Eldercare or Home care or home support or Extended care facilit* or "Home for the aged" or "Homes for the aged" or Non-acute care facilit* or home health or home nursing or Residential care or residential health or residential nursing or Domestic care or domestic health or domestic nursing or domicillary care or domicillary health or domicillary nursing or community health service* or community care or assisted living or hospital or hospitals or medical cent* or health care or healthcare or healthcare facilit* or health care facilit* or health cent* or icu or intensive care unit* or (emergency adj1 (room or unit* or department* or ward* or Medical Service*)) or ((trauma or acute care or critical care or outreach or rehabilitation or urgent care or internal medicine or gerontolo* or geriatric) adj4 (center* or centre* or facilit* or unit* or department* or ward*)) or skilled nursing facilit* or convalescent home* or transitional care facilit* or halfway house* or ambulant or ambulatory or discharge or primary care or secondary care).ti,bt,ab,kf,hw.	3446436
14	(Provider* or helper* or assistant* or worker* or professional* or nurs* or staff or aide* or personnel or employee* or employed or team* or expertise* or administrator* or director*).ti,bt,ab,kf.	2231798
15	13 and 14	836945
16	or/9-12,15	3917183
17	exp Qualitative Research/	85358
18	exp "Surveys and Questionnaires"/	1227494
19	exp Interview/	30901
20	exp "Interview, Psychological"/	15280

21	exp Interviews as topic/	66845
22	exp Focus Groups/	36523
23	Empirical research/	4119
24	Narration/	10378
25	((qualitative or empirical or action or ethnographic or ethnological or ethnonursing or ethnomedicine or phenomenological or narrative or narration) adj3 (research or study or study or method* or design or synthes* or analy*)).ti,bt,ab,kf.	267896
26	((("semi-structured" or semistructured or semi structured or unstructured or informal or "in-depth" or indepth or "face-to-face" or individual* or structured or guide* or tailored or one-to-one or telephone or internet or doodle or oral or written or diagnostic or psychodiagnostic or intake or recorded or group*) adj3 (interview* or dialog* or discussion* or questionnaire* or survey*)).ti,bt,ab,kf.	318219
27	(focus group* or focus-group* or focusgroup*).ti,bt,ab,kf.	66928
28	(field work or fieldwork or field-work or key informant* or ground work or groundwork or narration or narrative*).ti,bt,ab,kf.	107926
29	(Grounded theory or naturalistic inquiry).ti,bt,ab,kf.	15873
30	(experience* or expectation* or attitude* or opinion* or view* or barrier* or facilitator* or content analysis or perspective*).ti,bt,ab,kf.	2969984
31	or/17-30	4237216
32	4 and 8 and 16 and 31	3481
33	limit 32 to (yr="2020-2024" and (english or danish or norwegian or swedish or spanish or portuguese))	374
34	limit 33 to (systematic review or review or meta analysis or randomized controlled trial or observational study)	90
35	33 not 34	284
36	((cohort* or retrospective or perspective) adj2 (study or studies or analy* or method* or design or evaluation)).ti,bt,ab,kf,hw.	1752592
37	35 not 36	213

Embase

Database(s): **Embase** 1974 to 2024 January 12

Search Strategy:

#	Searches	Results
1	exp Dementia/	454429
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or ((Frontotemporal or cognitive) adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,bt,ab,kf.	506474
3	(nursing home* or long-term-care or long-term care or long term care or LTC or LTCF* or retirement home* or care home* or assisted living or residential care or residential facilit* or home care or domestic care or aged or elderly or (old* adj1 people) or seniors).ti,bt,ab,kf.	1496170
4	or/1-3	2016086
5	Neuroleptic agent/	92466
6	Atypical Antipsychotic Agent/	15923
7	(anti-psychotic* or antipsychotic* or anti psychotic* or psycho-tropic* or psychotropic* or ((major adj2 (tranquilizer* or tranquiliser*)) or Neuroleptics)).ti,bt,ab,kf.	112206
8	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) adj2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,ab,kf.	60009
9	or/5-8	187939
10	exp Health Care Personnel/	2022327
11	exp Administrative Personnel/	34550
12	exp Health Services/	7077314
13	(Health personnel or health professional* or health worker* or health staff or health aide* or Medical personnel or medical staff or doctor* or physician* or Geriatrician* or Care staff or care personnel or medical expertise or nurse* or nursing staff or nursing personnel or nursing assistant* or physician* or care provider* or general practitioner* or GP or GPs or	2269103

	hospital personnel or hospital staff or hospital aide* or gerontologist* or gerontopsychiatrist* or psychiatrist* or psychotherapist* or paramedic* or pharmacist* or judicial or outreach team* or team leader* or occupational therapist* or physiotherapist* or physical therapist* or music therapist*).ti,bt,ab,kf,hw.	
14	(Nursing Home* or long-term-care or long-term care or long term care or LTC or LTCF* or Elder home* or elderhome* or Residential home* or Long time care home* or Retirement care or retirement home* or care home* or Home-based primary care or Home-based care or Skilled nursing facilit* or care facilit* or care agenc* or Elderly care or Elder care or Eldercare or Home care or home support or Extended care facilit* or "Home for the aged" or "Homes for the aged" or Non-acute care facilit* or home health or home nursing or Residential care or residential health or residential nursing or Domestic care or domestic health or domestic nursing or domicillary care or domicillary health or domicillary nursing or community health service* or community care or assisted living or hospital or hospitals or medical cent* or health care or healthcare or healthcare facilit* or health care facilit* or health cent* or icu or intensive care unit* or (emergency adj1 (room or unit* or department* or ward* or Medical Service*)) or ((trauma or acute care or critical care or outreach or rehabilitation or urgent care or internal medicine or gerontolo* or geriatric) adj4 (center* or centre* or facilit* or unit* or department* or ward*)) or skilled nursing facilit* or convalescent home* or transitional care facilit* or halfway house* or ambulant or ambulatory or discharge or primary care or secondary care).ti,bt,ab,kf,hw.	5731410
15	(Provider* or helper* or assistant* or worker* or professional* or nurs* or staff or aide* or personnel or employee* or employed or team* or expertise* or administrator* or director*).ti,bt,ab,kf.	2801896
16	14 and 15	1216505
17	or/10-13,16	8768700
18	exp Qualitative Research/	123193
19	exp Questionnaire/	952122
20	exp Interview/	380265
21	Empirical research/	7615
22	Narrative/	22044
23	((qualitative or action or ethnographic or ethnological or ethnonursing or ethnomedicine or phenomenological or narrative or narration) adj3 (research or study or studies or method* or design or analy*).ti,bt,ab,kf.	286571
24	("semi-structured" or semistructured or semi structured or unstructured or informal or "in-depth" or indepth or "face-to-face" or individual* or structured or guide* or tailored or	421716

	one-to-one or telephone or internet or doodle or oral or written or diagnostic or psychodiagnostic or intake or recorded or group*) adj3 (interview* or dialog* or discussion* or questionnaire* or survey*)).ti,bt,ab,kf.	
25	(focus group* or focus-group* or focusgroup*).ti,bt,ab,kf.	82818
26	(field work or fieldwork or field-work or key informant* or ground work or groundwork or narration or narrative*).ti,bt,ab,kf.	119332
27	(Grounded theory or naturalistic inquiry).ti,bt,ab,kf.	19592
28	(experience* or expectation* or attitude* or opinion* or view* or barrier* or facilitator* or content analysis or perspective*).ti,bt,ab,kf.	3860297
29	or/18-28	4956708
30	4 and 9 and 17 and 29	3619
31	limit 30 to (yr="2020-2024" and (english or danish or norwegian or swedish or spanish or portuguese))	885
32	limit 31 to ("systematic review" or review or meta analysis or randomized controlled trial)	203
33	31 not 32	682
34	((cohort* or retrospective or perspective) adj2 (study or studies or analy* or method* or design or evaluation)).ti,bt,ab,kf,hw.	2622175
35	33 not 34	481

PsycINFO

Database(s): **APA PsycInfo** 1806 to January Week 2 2024

Search Strategy:

#	Searches	Results
1	exp Dementia/	93652
2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or (Frontotemporal adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,ab,id.	147809

3	(nursing home* or long-term-care or long-term care or long term care or LTC or LTCF* or retirement home* or care home* or assisted living or residential care or residential facilit* or home care or domestic care or aged or elderly or (old* adj1 people) or seniors).ti,ab,id.	391531
4	or/1-3	502416
5	exp Neuroleptic Drugs/	34672
6	(anti-psychotic* or antipsychotic* or anti psychotic* or psycho-tropic* or psychotropic* or ((major adj2 (tranquilizer* or tranquiliser*)) or Neuroleptics)).ti,ab,id.	50189
7	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) adj2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,ab,id.	24976
8	or/5-7	69321
9	exp Health Personnel/	197090
10	Home Care Personnel/	569
11	Mental Health Personnel/	12975
12	exp Therapists/	46612
13	exp Management Personnel/	35391
14	exp Health Care Services/	302485
15	(Health personnel or health professional* or health worker* or health staff or health aide* or Medical personnel or medical staff or doctor* or physician* or Geriatrician* or Care staff or care personnel or medical expertise or nurse* or nursing staff or nursing personnel or nursing assistant* or physician* or care provider* or general practitioner* or GP or GPs or hospital personnel or hospital staff or hospital aide* or gerontologist* or gerontopsychiatrist* or psychiatrist* or psychotherapist* or paramedic* or pharmacist* or judicial or outreach team* or team leader* or occupational therapist* or physiotherapist* or physical therapist* or music therapist*).ti,ab,id.	326245
16	(Nursing Home* or long-term-care or long-term care or long term care or LTC or LTCF* or Elder home* or elderhome* or Residential home* or Long time care home* or Retirement care or retirement home* or care home* or Home-based primary care or Home-based care or Skilled nursing facilit* or care facilit* or care agenc* or Elderly care or Elder care or Eldercare or Home care or home support or Extended care facilit* or "Home for the aged" or "Homes for the aged" or Non-acute care facilit* or home health or home nursing or Residential care or residential health or residential nursing or Domestic care or domestic	417633

	health or domestic nursing or domicillary care or domicillary health or domicillary nursing or community health service* or community care or assisted living or hospital or hospitals or medical cent* or health care or healthcare or healthcare facilit* or health care facilit* or health cent* or icu or intensive care unit* or (emergency adj1 (room or unit* or department* or ward* or Medical Service*)) or ((trauma or acute care or critical care or outreach or rehabilitation or urgent care or internal medicine or gerontolo* or geriatric) adj4 (center* or centre* or facilit* or unit* or department* or ward*)) or skilled nursing facilit* or convalescent home* or transitional care facilit* or halfway house* or ambulant or ambulatory or discharge or primary care or secondary care).ti,ab,id.	
17	(Provider* or helper* or assistant* or worker* or professional* or nurs* or staff or aide* or personnel or employee* or employed or team* or expertise* or administrator* or director*).ti,ab,id.	900427
18	16 and 17	191756
19	or/9-15,18	715584
20	exp Qualitative Methods/	21696
21	exp Qualitative Measures/	116
22	exp Interviews/	19842
23	exp Surveys/	16186
24	Empirical Methods/	4550
25	exp Narratives/	26034
26	exp Health Personnel Attitudes/	28480
27	((qualitative or empirical or action or ethnographic or ethnological or ethnonursing or ethnomedicine or phenomenological or narrative or narration) adj3 (research or study or study or method* or design or syntheses* or analy*).ti,ab,id.	255348
28	((("semi-structured" or semistructured or semi structured or unstructured or informal or "in-depth" or indepth or "face-to-face" or individual* or structured or guide* or tailored or one-to-one or telephone or internet or doodle or oral or written or diagnostic or psychodiagnostic or intake or recorded or group*) adj3 (interview* or dialog* or discussion* or questionnaire* or survey*).ti,ab,id.	224160
29	(focus group* or focus-group* or focusgroup*).ti,ab,id.	46815
30	(field work or fieldwork or field-work or key informant* or ground work or groundwork or narration or narrative*).ti,ab,id.	103309
31	(Grounded theory or naturalistic inquiry).ti,ab,id.	20413

32	(experience* or expectation* or attitude* or opinion* or view* or barrier* or facilitator* or content analysis or perspective*).ti,ab,id.	1615961
33	or/20-32	1852763
34	4 and 8 and 19 and 33	565
35	limit 34 to (yr="2020-2024" and (english or danish or norwegian or swedish or spanish or portuguese))	85
36	limit 35 to ("0430 followup study" or "0450 longitudinal study" or "0451 prospective study" or "0453 retrospective study" or "0800 literature review" or "0830 systematic review" or 1200 meta analysis or 1300 metasynthesis)	19
37	35 not 36	66
38	((cohort* or retrospective or perspective) adj2 (study or studies or analy* or method* or design or evaluation)).ti,ab,id.	64610
39	37 not 38	60

Cinahl

	Query	Limiters/Expanders	Results
S30	S3 AND S7 AND S15 AND S29	Limiters - Publication Date: 20200101-20240131; Language: Danish, English, Norwegian, Portuguese, Spanish, Swedish	154
S29	S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28		1,660,663
S28	(experience* or expectation* or attitude* or opinion* or view* or barrier* or facilitator* or content analysis or perspective*)		1,247,934
S27	evidence synthes* or realist synthes* or grounded theory or naturalistic inquiry		42,695
S26	field work or fieldwork or field-work or key informant* or ground work or groundwork or narration or narrative*		75,944
S25	focus group* or focus-group* or focusgroup*		66,426
S24	((("semi-structured" or semistructured or semi structured or unstructured or informal or "in-depth" or indepth or "face-to-face" or individual* or structured or guide* or tailored or one-to-one or telephone or internet		253,603

	or doodle or oral or written or diagnostic or psychodiagnostic or intake or recorded or group*) N3 (interview* or discussion* or questionnaire* or survey*))		
S23	metasynthes* or meta-synthes* or meta synthes* or metaethnograph* or meta-ethnograph* or meta ethnograph*		5,954
S22	((qualitative or empirical or action or ethnographic or ethnological or ethnnonursing or ethnomedicine or phenomenological or narrative or narration) N3 (research or study or studies or method* or design or synthes* or systematic study or systematic studies or meta analy* or meta-analy* or metaanaly* or analy*))		265,388
S21	MH "Empirical Research"		5,415
S20	MH "Focus Groups"		51,718
S19	MH "Narratives+"		21,155
S18	MH "Interviews+"		261,274
S17	MH Surveys+		269,156
S16	MH "Qualitative Studies+"		189,359
S15	S8 OR S9 OR S10 OR S11 OR S14		2,316,804
S14	S12 AND S13		713,216
S13	(Provider* or helper* or assistant* or worker* or professional* or nurs* or staff or aide* or personnel or employee* or employed or team* or expertise* or administrator* or director*)		1,876,171
S12	(Nursing Home* or long-term-care or long-term care or long term care or LTC or LTCF* or Elder home* or elderhome* or Residential home* or Long time care home* or Retirement care or retirement home* or care home* or Home-based primary care or Home-based care or Skilled nursing facilit* or care facilit* or care agenc* or Elderly care or Elder care or Eldercare or Home care or home support or Extended care facilit* or "Home for the aged" or "Homes for the aged" or Non-acute care facilit* or home health or home nursing or Residential care or residential health or residential nursing or Domestic care or domestic health or domestic nursing or domicillary care or domicillary health or domicillary nursing or community health service* or community care or assisted living or hospital or hospitals or medical cent* or health care or healthcare or healthcare facilit* or health care facilit* or health cent* or icu or intensive care unit* or (emergency N1 (room or unit* or department* or		1,674,554

	ward* or Medical Service*)) or ((trauma or acute care or critical care or outreach or rehabilitation or urgent care or internal medicine or gerontolo* or geriatric) N4 (center* or centre* or facilit* or unit* or department* or ward*)) or skilled nursing facilit* or convalescent home* or transitional care facilit* or halfway house* or ambulant or ambulatory or discharge or primary care or secondary care)		
S11	(Health personnel or health professional* or health worker* or health staff or health aide* or Medical personnel or medical staff or doctor* or physician* or Geriatrician* or Care staff or care personnel or medical expertise or nurse* or nursing staff or nursing personnel or nursing assistant* or physician* or care provider* or general practitioner* or GP or GPs or hospital personnel or hospital staff or hospital aide* or gerontologist* or gerontopsychiatrist* or psychiatrist* or psychotherapist* or paramedic* or pharmacist* or judicial or outreach team* or team leader* or occupational therapist* or physiotherapist* or physical therapist* or music therapist*)		1,214,682
S10	MH "Health Services+"		1,155,589
S9	MH "Administrative Personnel+"		39,466
S8	(MH "Health Personnel+")		640,068
S7	S4 OR S5 OR S6		46,862
S6	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) N2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing))		20,754
S5	(anti-psychotic* or antipsychotic* or anti psychotic* or psycho-troadpic* or psychotropic* or ((major N2 (tranquilizer* or tranquiliser*)) or Neuroleptics))		31,861
S4	(MH "Antipsychotic Agents+")		22,957
S3	S1 OR S2		261,545
S2	(dementia* or alzheimer* or senile or presenile or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary N3 Progressi* N3 aphasia) or (Frontotemporal N3 (Degeneration or neurodegeneration or neuro-		261,516

	degeneration)) or FTD or lewy-body or lewy-bodies or (lewy N1 (body or bodies)) or DLB or (Parkinson* N4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL or nursing home* or long-term-care or long-term care or long term care or LTC or LTCF* or assisted living or residential care or hospice* or retirement home* or)		
S1	(MH "Dementia+")		84,824

PICO 4: Bør man anvende andengenerations antipsykotika til personer med demens og PTSD?

Søgt 20.03.2024

Medline

Database(s): **Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations, Daily and Versions** 1946 to March 19, 2024

Search Strategy:

#	Searches	Results
1	exp Dementia/	213170
2	(dementia* or alzheimer* or senil* or presenil* or cognitive impairment or "behavioural and psychological symptoms of dementia" or PTSD or (Primary adj3 Progressi* adj3 aphasia) or ((Frontotemporal or cognitive) adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,ab,kf.	369746
3	or/1-2	401615
4	Antipsychotic Agents/	60187
5	(anti-psychotic* or antipsychotic* or anti psychotic* or ((major adj2 (tranquilizer* or tranquiliser*)) or Neuroleptics)).ti,ab,kf.	56814
6	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) adj2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,ab,kf.	47807
7	Risperidone/ or Aripiprazole/ or Quetiapine Fumarate/ or Clozapine/ or Paliperidone Palmitate/ or Olanzapine/ or Lurasidone Hydrochloride/ or Cariprazine/ or Brexpiprazole/ or Amisulpride/ or Asenapine/ or Ziprasidone/	25358
8	(Risperidon* or Aripiprazol* or Quetiapin* or Clozapin* or Paliperidon* or Olanzapin* or Lurasidon* or Cariprazin* or Brexpiprazol* or Amisulprid* or Sulpirid* or Asenapin* or Ziprasidon* or Sertindol*).ti,ab,kf,hw.	43758
9	Flupentixol/ or Pimozide/ or Haloperidol/ or Chlorprothixene/	18916

10	(Flupentixol* or Pimozid* or Haloperidol* or Chlorprothixen* or Zuclopenthixol* or Melperon* or Pipamperon*).ti,bt,ab,kf,hw.	26806
11	or/4-10	150868
12	3 and 11	8714
13	limit 12 to (randomized controlled trial or controlled clinical trial)	476
14	((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,bt,ab,kf.	928429
15	placebo*.ti,bt,ab,kf.	255681
16	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab,kf.	4559
17	((single or double or triple) adj2 (blind*3 or mask*3) adj2 (method or studies)).ti,ab,kf.	4646
18	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,ab,kf.	320194
19	or/14-18	1149739
20	12 and 19	1207
21	13 or 20	1291
22	limit 21 to (yr="2023-2024" and (english or danish or norwegian or swedish or spanish or portuguese))	67

Embase

Database(s): **Embase** 1974 to 2024 March 19

Search Strategy:

#	Searches	Results
1	exp Dementia/	459975
2	(dementia* or alzheimer* or senil* or presenil* or cognitive impairment or "behavioural and psychological symptoms of dementia" or BPSD or (Primary adj3 Progressi* adj3 aphasia) or ((Frontotemporal or cognitive) adj3 (Degeneration or neurodegeneration or neuro-degeneration)) or FTD or lewy-body or lewy-bodies or (lewy adj1 (body or bodies)) or DLB or (Parkinson* adj4 dementia*) or PDD or Creutzfeldt-Jakob* or "Diffuse Neurofibrillary Tangles with Calcification" or Huntington disease or Kluver-Bucy* or CADASIL).ti,bt,ab,kf.	514910
3	or/1-2	629928
4	Neuroleptic agent/	93134

5	Atypical Antipsychotic Agent/	15997
6	(anti-psychotic* or antipsychotic* or anti psychotic* or ((major adj2 (tranquilizer* or tranquiliser*)) or Neuroleptics)).ti,bt,ab,kf.	88583
7	((Tranquiliz* or tranquilis* or Neuroleptic or Central nervous system or CNS or psychotropic or psychopharmaceutical or psycho-pharmaceutical or psychoactive or psycho-active or psychostimula* or psycho-stimula* or psychodelic* or hallucinogen* or psychotomimetic*) adj2 (drug* or agent* or pill*1 or medication* or medicine or effect* or therap* or dose or doses or dosing)).ti,bt,ab,kf.	60459
8	Risperidone/ or Aripiprazole/ or Quetiapine/ or Clozapine/ or Paliperidone/ or Olanzapine/ or Lurasidone/ or Cariprazine/ or Brexpiprazole/ or Amisulpride/ or Asenapine/ or Ziprasidone/	102654
9	(Risperidon* or Aripiprazol* or Quetiapin* or Clozapin* or Paliperidon* or Olanzapin* or Lurasidon* or Cariprazin* or Brexpiprazol* or Amisulprid* or Sulpirid* or Asenapin* or Ziprasidon* or Sertindol*).ti,bt,ab,kf,hw.	115923
10	chlorprothixene/ or flupentixol/ or haloperidol/ or melperone/ or pimozide/ or pipamperone/ or zuclopenthixol/	72129
11	(Flupentixol* or Pimozid* or Haloperidol* or Chlorprothixen* or Zuclopenthixol* or Melperon* or Pipamperon*).ti,bt,ab,kf,hw.	75637
12	or/4-11	276813
13	3 and 12	23218
14	limit 13 to (randomized controlled trial or controlled clinical trial)	1230
15	((((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,bt,ab,kf.	1291598
16	placebo*.ti,bt,ab,kf.	377438
17	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab.	6751
18	((single or double or triple) adj2 (blind*3 or mask*3) adj2 (method or studies)).ti,ab.	6880
19	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,bt,ab,kf.	448247
20	or/15-19	1604880
21	13 and 20	2396
22	14 or 21	2782
23	limit 22 to (yr="2023-2024" and (english or danish or norwegian or swedish or spanish or portuguese))	140