

GUIDELINES

Medline (OVID)

5	EMNE
6	(Guideline* or practice guideline* or clinical guideline* or guidance or hta or health technology Assessment* or consensus or recommendations).ti,bt,kf.
7	Health planning guidelines/
8	Guidelines as topic/
9	Practice guideline as topic/
10	Guideline.pt. or Practice guideline.pt.
11	6 or 7 or 8 or 9 or 10
12	5 and 11

Embase (OVID)

5	EMNE
6	(Guideline* or practice guideline* or clinical guideline* or guidance or hta or health technology Assessment* or consensus or recommendations).ti,kf,pt.
7	practice guideline/
8	6 or 7
9	5 and 8

PsycInfo (OVID)

5	EMNE
6	Treatment guidelines/
7	(Guideline* or practice guideline* or treatment guideline* or clinical guideline* or guidance or hta or health technology Assessment* or consensus or recommendations).ti,id.
8	6 or 7
9	5 and 8

Cinahl (EBSCO)

5	EMNE
6	TI (Guideline* or guidance or hta or health technology Assessment* or consensus or recommendations)
7	SU (Guideline* or guidance or hta or health technology Assessment* or consensus or recommendations)
8	PT Practice guidelines or MH Practice Guidelines
9	S6 or S7 or S8
10	S5 and S9

SYSTEMATISKE REVIEWS

MEDLINE (OVID)

4	EMNE
5	limit 4 to (systematic reviews or meta analysis)
6	((systematic* or method* or rapid or integrative or umbrella) adj3 (review* or overview* or study or studies or search* or approach* or analysis or evaluation)) or meta analy* or meta-analy* or metaanaly* or meta synthes* or meta-synthes* or metasynthes*).ti,bt,ab,kf.
7	Network Meta-Analysis/
8	network adj1 (meta analy* or meta-analy* or metaanaly*).ti,bt,ab,kf.
9	((multiple or mixed) adj1 (treatment* or therap*) adj1 (meta analy* or meta-analy* or metaanaly* or comparison*)) or (indirect adj1 comparison*).ti,bt,ab,kf.
10	(pool* adj1 (data or analys* or studies)).ti,ab.
11	(pubmed or medline or embase or cochrane or "web of science" or psycinfo or psychinfo or scopus).ti,ab.
12	Cochrane.jw.
13	6 or 7 or 8 or 9 or 10 or 11 or 12
14	4 and 13
15	5 or 14

Ved smal søgning

4	EMNE
5	limit 4 to (systematic reviews or meta-analysis)
6	((systematic adj3 (review* or study or studies or search*)) or meta analy* or meta-analy* or metaanaly* or pubmed or medline or embase or cochrane).ti,bt,ab,kf.
7	Cochrane.jw.
8	6 or 7
9	4 and 8
10	5 or 9
11	case report/ or (case reports or letter or historical article or comment or editorial or conference abstract).pt.
12	10 not 11

Embase (OVID)

4	EMNE
5	limit 4 to ("systematic review" or meta analysis)
6	((systematic or method* or rapid or integrative or umbrella) adj3 (review* or overview* or study or studies or search* or approach* or analysis or evaluation)) or meta analy* or meta-analy* or metaanaly* or meta synthes* or meta-synthes* or metasynthes*).ti,bt,ab,kf.
7	Network Meta-Analysis/
8	network adj1 (meta analy* or meta-analy* or metaanaly*). ti,bt,ab,kf.
9	((multiple or mixed) adj1 (treatment* or therap*) adj1 (meta analy* or meta-analy* or metaanaly* or comparison*)) or (indirect adj1 comparison*). ti,bt,ab,kf.
10	(pool* adj1 (data or analys* or studies)).ti,ab.
11	(pubmed or medline or embase or cochrane or "web of science" or psycinfo or psychinfo or scopus).ti,ab.
12	Cochrane.jx.
13	6 or 7 or 8 or 9 or 10 or 11 or 12
14	4 and 13
15	5 or 14

Ved smal søgning

4	EMNE
5	limit 4 to ("systematic review" or meta-analysis)
6	((systematic adj3 (review* or study or studies or search*)) or meta analy* or meta-analy* or metaanaly*).ti,ab,kf.
7	Cochrane.jx.
8	6 or 7
9	4 and 8
10	5 or 9
11	case report/ or (note or letter or editorial or press or conference abstract).pt.
12	10 not 11

PsycINFO (OVID)

4	EMNE
5	limit 4 to ("0830 systematic review" or "1200 meta analysis")
6	((systematic or method* or rapid or integrative or umbrella) adj3 (review* or overview* or study or studies or search* or approach* or analysis or evaluation)) or meta analy* or meta-analy* or metaanaly* or meta synthes* or meta-synthes* or metasynthes*).ti,ab,id.
7	network adj1 (meta analy* or meta-analy* or metaanaly*).ti,ab,id.
8	((multiple or mixed) adj1 (treatment* or therap*) adj1 (meta analy* or meta-analy* or metaanaly* or comparison*)) or (indirect adj1 comparison*).ti,ab,id.
9	(pool* adj1 (data or analys* or studies)).ti,ab.
10	6 or 7 or 8 or 9
11	4 and 10
12	5 or 11

Cinahl (EBSCO)

4	EMNE
5	PT (Systematic Review or Meta Analysis)
6	MH (Systematic Review or Meta Analysis)
7	((systematic or method* or rapid or integrative or umbrella) N3 (review* or overview* or study or studies or search* or approach* or analysis or evaluation)) meta analy* or meta-analy* or metaanaly* or meta synthes* or meta-synthes* or metasynthes*)
8	network N1 (meta analy* or meta-analy* or metaanaly*)
9	((multiple or mixed) N1 (treatment* or therap*) N1 (meta analy* or meta-analy* or metaanaly* or comparison*)) or (indirect N1 comparison*)
10	(pool* N1 (data or analys* or studies))
11	S5 or S6 or S7 or S8 or S9 or S10
12	S4 and S11

RCT

MEDLINE (OVID)

4	EMNE
5	limit 4 to (randomized controlled trial or controlled clinical trial)
6	(((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,kf.
7	placebo*.ti,ab,kf.
8	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab,kf.
9	(((single or double or triple) adj2 (blind*3 or mask*3)) adj2 (method or studies)).ti,ab,kf.
10	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,ab,kf.
11	6 or 7 or 8 or 9 or 10
12	4 and 11
13	5 or 12

Ved smal søgning

4	EMNE
5	limit 4 to (randomized controlled trial or controlled clinical trial)
6	(((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kf.
7	placebo*.ti,ab.
8	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab,kf.
9	(((single or double or triple) adj2 (blind*3 or mask*3)) adj2 (method or studies)).ti,ab,kf.
10	6 or 7 or 8 or 9
11	4 and 10
12	5 or 11

Embase (OVID)

4	EMNE
5	limit 4 to (randomized controlled trial or controlled clinical trial)
6	(((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct). ti,bt,ab,kf.
7	placebo*. ti,bt,ab,kf.
8	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab.
9	(((single or double or triple) adj2 (blind*3 or mask*3)) adj2 (method or studies)).ti,ab.
10	((patient* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,bt,ab,kf.
11	6 or 7 or 8 or 9 or 10
12	4 and 11
13	5 or 12

Ved for mange poster

4	EMNE
5	limit 4 to (randomized controlled trial or controlled clinical trial)
6	(((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj3 (trial*1 or study or studies or analy*)) or rct).ti,ab,kf.
7	placebo*.ti,ab.
8	((single-blind* or double-blind* or triple-blind*) adj2 (method or studies)).ti,ab,kf.
9	(((single or double or triple) adj2 (blind*3 or mask*3)) adj2 (method or studies)).ti,ab,kf.
10	6 or 7 or 8 or 9
11	4 and 10
12	5 or 11

PsycInfo (OVID)

5	EMNE
6	exp Randomized Controlled Trials/
7	((random* or cluster-random* or quasi-random* or control?ed or crossover or cross-over or blind* or mask*) adj4 (trial*1 or study or studies or analy*)) or rct).ti,ab,id.
8	placebo*.ti,ab,id.
9	((single-blind* or double-blind* or triple-blind*) adj2 (method* or studies)).ti,ab,id.
10	((single or double or triple) adj1 (blind* or mask*) adj2 (method* or studies)).ti,ab,id.
11	((patient* or client* or person* or participant* or population* or allocat* or assign*) adj3 random*).ti,ab,id.
12	6 or 7 or 8 or 9 or 10 or 11
13	5 and 11 12

Cinahl (EBSCO)

5	EMNE
6	PT Randomized Controlled Trial
7	MH Randomized Controlled Trials
8	((random* or cluster-random* or quasi-random* or control#ed or crossover or cross-over or blind* or mask*) N3 (trial* or study or studies or analy*)) or rct)
9	Placebo*
10	((single-blind* or double-blind* or triple-blind*) N2 (method or studies))
11	((single or double or triple) N2 (blind*3 or mask*3)) N2 (method or studies))
12	((patient* or person* or participant* or population* or allocat* or assign*) N3 (random* or blind* or mask*))
13	S6 or S7 or S8 or S9 or S10 or S11 or S12
14	S5 and S13



SUNDHEDSSTYRELSEN

OBSERVATIONELLE STUDIER

NB! Begræns ved at slette ikke-relevante søgeord i søgesætning 7 eller 8

Medline (OVID)

5	EMNE
6	limit 5 to (comparative study or evaluation studies or multicenter study or observational study or twin study or validation studies)
7	Exp Epidemiologic studies/
8	((Epidemiologic or cohort* or perspective or prospective or longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provocat* or validation) adj3 (study or studies or trial*1 or analys*)).ti,ab,kf.
9	7 or 8
10	5 and 9
11	6 or 10

Embase (OVID)

5	EMNE
6	limit 5 to multicenter study
7	Observational study/ or Multicenter study/ or Evaluation study/ or exp comparative study/ or exp case control study/ or intervention study/ or exp longitudinal study/ or prospective study/ or retrospective study/ or Follow up/ or validation study/ or cohort analysis/ or cross-sectional study/ or crossover procedure/ or double blind procedure/ or single blind procedure/
8	((Epidemiologic or cohort* or perspective or prospective or longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provoca* or validation) adj3 (study or studies or trial*1 or analys*)).ti,ab,kf.
9	7 or 8
10	5 and 9
11	6 or 10

PsycINFO (OVID)

5	EMNE
6	limit 14 to ("0430 followup study" or "0450 longitudinal study" or "0451 prospective study" or "0453 retrospective study" or "2200 twin study")
7	Exp Experimental design/
8	((Epidemiologic or cohort* or perspective or prospective or longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provoca* or validation) adj3 (study or studies or trial*1 or analys*)).ti,ab,hw.
9	7 or 8
10	5 and 9
11	6 or 10

Cinahl (EBSCO)

5	EMNE
6	MH "Nonexperimental Studies+"
7	((Epidemiologic or cohort* or perspective or prospective or longitud* or follow-up or follow up or followup or retro-spective or retrospective or case-control* or case control* or observational or cross-section* or cross section* or multi-cent* or multicent* or evaluation or comparative or intervention or provoca* or validation) N3 (study or studies or trial* or analys*))
8	S6 or S7
9	S5 and S8

Diagnostiske studier

Medline (OVID)

5	EMNE
6	exp Diagnosis/
7	di.fs.
8	exp "sensitivity and specificity"/
9	exp Diagnostic Errors/
10	(diagnos* or screening* or screen*2 or evaluat* or estimat* or identif* or pre-test*3 or post-test*3 or pretest* or posttest* or test*3 or detect* or assess* or monitoring or scor*3 or measur* or determ* or examinat* or predict* or risk* or probability or accuracy or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature* or specificity or sensitivity or reference value* or likelihood ratio* or false positive or false negative).ti,ab,kf.
11	6 or 7 or 8 or 9 or 10
12	5 and 11

Embase (OVID)

5	EMNE
6	exp Diagnostic procedure/
7	di.fs.
8	exp "sensitivity and specificity"/
9	exp Diagnostic Error/
10	(diagnos* or screening* or screen*2 or evaluat* or estimat* or identif* or pre-test*3 or post-test*3 or pretest* or posttest* or test*3 or detect* or assess* or monitoring or scor*3 or measur* or determ* or examinat* or predict* or risk* or probability or accuracy or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature* or specificity or sensitivity or reference value* or likelihood ratio* or false positive or false negative).ti,ab,kf.
11	6 or 7 or 8 or 9 or 10
12	5 and 11

PsycINFO (OVID)

5	EMNE
6	exp Psychological Assessment/ or exp Psychiatric Evaluation/ or exp Psychodiagnosis/ or exp "Diagnostic and Statistical Manual"/ or exp Research Diagnostic Criteria/ or exp Screening tests/ or exp Comorbidity/ or exp Dual diagnosis/
7	exp Testing/
8	exp Psychometrics/
9	(diagnos* or screening* or screen*2 or evaluat* or estimat* or identif* or pre-test*3 or post-test*3 or pretest* or posttest* or test*3 or detect* or assess* or monitoring or scor*3 or measur* or determ* or examinat* or predict* or risk* or probability or accuracy or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature* or specificity or sensitivity or reference value* or likelihood ratio* or false positive or false negative).ti,ab,id.
10	6 or 7 or 8 or 9
11	5 and 11

Cinahl (EBSCO)

5	EMNE
6	MH Diagnosis
7	(diagnos* or screening* or screen*2 or evaluat* or estimat* or identif* or pre-test*3 or post-test*3 or pretest* or posttest* or test*3 or detect* or assess* or monitoring or scor*3 or measur* or determ* or examinat* or predict* or risk* or probability or accuracy or criteria* or symptom* or characteristic* or classif* or define* or definition* or core feature* or specificity or sensitivity or reference value* or likelihood ratio* or false positive or false negative)
8	6 or 7
9	5 and 8

Diagnostiske test / interviews / spørgeskemaer

Hvis det kun drejer sig om diagnostiske tests, kan linje 14-15 udelades. Husk også at slette "or 14 or 15" i linje 16.

Medline (OVID)

5	EMNE
6	"Diagnostic Techniques and Procedures"/
7	Diagnostic Tests, Routine/
8	Diagnostic Self Evaluation/
9	"Direct-To-Consumer Screening and Testing"/
10	exp Mass Screening/
11	exp Psychological Tests/
12	exp Psychometrics/
13	(Scale or scales or tool* or inventory or inventories or instrument or instruments or test*3 or pre-test* or pretest* or post-test* or posttest* or measure* or rule* or algorithm*).ti,kw,kf,hw. AND (diagnos* or assess*).ti,kf,hw.
14	(exp "Surveys and Questionnaires" or exp interview) AND (diagnos* or assess*).ti,kf,hw.
15	(questionnaire* or interview* or ((inquiry or patient) adj3 form*)).ti,ab,kf. AND (diagnos* or assess*).ti,kf,hw.
16	6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15
17	exp "sensitivity and specificity"/
18	exp Diagnostic Errors/
19	(specificity or sensitivity or probability or predictive value* or likelihood ratio* or diagnostic accuracy or AUC or ROC or diagnostic performance or diagnostic accuracy or diagnostic utility or diagnostic error* or test reliability or test validity).ti,ab,kf.
20	17 or 18 or 19
21	16 and 20
22	5 and 21

Embase (OVID)

5	EMNE
6	exp Diagnostic Test/
7	exp Screening/
8	Self Evaluation/
9	exp Psychologic Test/
10	exp Psychometry/
11	(Scale or scales or tool* or inventory or inventories or instrument or instruments or test*3 or pre-test* or pretest* or post-test* or posttest* or measure* or rule* or algorithm*).ti,kw,hw. AND (diagnos* or assess*).ti,kw,hw.
12	(exp interview/ or exp questionnaire/) AND diagnos*.ti,kw,hw.
13	(questionnaire* or interview* or ((inquiry or patient) adj3 form*)).ti,ab,kw. AND (diagnos* or assess*).ti,kw,hw.
14	6 or 7 or 8 or 9 or 10 or 11 or 12 or 13
15	exp "sensitivity and specificity"/
16	Exp Diagnostic Accuracy/
17	exp Diagnostic Error/
18	exp Odds ratio/ or exp Reliability or exp Validity/
19	(specificity or sensitivity or probability or predictive value* or likelihood ratio* or diagnostic accuracy or AUC or ROC or diagnostic performance or diagnostic accuracy or diagnostic utility or diagnostic error* or test reliability or test validity).ti,ab,kw.
20	15 or 16 or 17 or 18 or 19
21	14 and 20
22	5 and 21

PsycInfo (OVID)

5	EMNE
6	exp Psychological Assessment/ or exp Psychiatric Evaluation/ or exp Psychodiagnosis/ or exp "Diagnostic and Statistical Manual"/ or exp Research Diagnostic Criteria/ or exp Screening tests/ or exp Comorbidity/ or exp Dual diagnosis/ or exp Testing/
7	Mental disorders/di or EMNE/di
8	exp Psychometrics/
9	(assessment* or Psychometric* or diagnos* or identif*).ti,ab,id.
10	6 or 7 or 8 or 9
11	exp Rating Scales/
12	(scale* or inventory or inventories or instrument*).ti,ab,id.
13	11 or 12
14	Test reliability/ or Test Validity/
15	(specificity or sensitivity or probability or predictive value* or likelihood ratio* or diagnostic accuracy or AUC or ROC or diagnostic performance or diagnostic accuracy or diagnostic utility or diagnostic error* or test reliability or test validity).ti,ab,id.
16	14 or 15
17	5 and 10 and 13 and 16

KVALITATIVE STUDIER

Medline (OVID)

5	EMNE
6	Exp Qualitative Research/
7	Exp "Surveys and Questionnaires"/
8	Exp Interview/
9	Exp "Interview, Psychological"/
10	Exp Interviews as topic/
11	Exp Focus Groups/
12	Empirical research/
13	Narration
14	((qualitative or empirical or action or ethnographic or ethnological or ethnonursing or ethnomedicine or phenomenological or narrative or narration) adj3 (research or study or study or method* or design or synthes* or systematic study or systematic studies or meta analy* or meta-analy* or metaanaly* or analy*).mp.
15	metasynthes* or meta-synthes* or meta synthes* or metaethnograph* or meta-ethnograph* or meta ethnograph*.mp.
16	((("semi-structured" or semistructured or semi structured or unstructured or informal or "in-depth" or indepth or "face-to-face" or individual* or structured or guide* or tailored or one-to-one or telephone or internet or doodle or oral or written or diagnostic or psychodiagnostic or intake or recorded or group*) adj3 (interview* or discussion* or questionnaire* or survey*))).mp.
17	(focus group* or focus-group* or focusgroup*).mp.
18	(field work or fieldwork or field-work or key informant* or ground work or groundwork or narration or narrative*).mp.
19	(evidence synthes* or realist synthes*).mp.
20	(Grounded theory or naturalistic inquiry).mp.
21	OR/6-20
22	5 AND 21

Embase (OVID)

5	EMNE
6	Exp Qualitative Research/
7	Exp Questionnaire/
8	Exp Interview/
9	Narrative/
10	Empirical research/
11	((qualitative or empirical or action or ethnographic or ethnological or ethnonursing or ethnomedicine or phenomenological or narrative or narration) adj3 (research or study or study or method* or design or synthes* or systematic study or systematic studies or meta analy* or meta-analy* or metaanaly* or analy*).mp.
12	metasynthes* or meta-synthes* or meta synthes* or metaethnograph* or meta-ethnograph* or meta ethnograph*.mp.
13	((("semi-structured" or semistructured or semi structured or unstructured or informal or "in-depth" or indepth or "face-to-face" or individual* or structured or guide* or tailored or one-to-one or telephone or internet or doodle or oral or written or diagnostic or psychodiagnostic or intake or recorded or group*) adj3 (interview* or discussion* or questionnaire* or survey*))).mp.
14	(focus group* or focus-group* or focusgroup*).mp.
15	(field work or fieldwork or field-work or key informant* or ground work or groundwork or narration or narrative*).mp.
16	(evidence synthes* or realist synthes*).mp.
17	(Grounded theory or naturalistic inquiry).mp.
18	OR/6-17
19	5 AND 18

PsycINFO

5	EMNE
6	Exp Qualitative Methods/
7	Exp Qualitative Measures/
8	Exp Interviews/
9	Exp Surveys/
10	((qualitative or empirical or action or ethnographic or ethnological or ethnonursing or ethnomedicine or phenomenological or narrative or narration) adj3 (research or study or study or method* or design or synthes* or systematic study or systematic studies or meta analy* or meta-analy* or metaanaly* or analy*).mp.
11	metasynthes* or meta-synthes* or meta synthes* or metaethnograph* or meta-ethnograph* or meta ethnograph*.mp.
12	((("semi-structured" or semistructured or semi structured or unstructured or informal or "in-depth" or indepth or "face-to-face" or individual* or structured or guide* or tailored or one-to-one or telephone or internet or doodle or oral or written or diagnostic or psychodiagnostic or intake or recorded or group*) adj3 (interview* or discussion* or questionnaire* or survey*))).mp.
13	(focus group* or focus-group* or focusgroup*).mp.
14	(field work or fieldwork or field-work or key informant* or ground work or groundwork or narration or narrative*).mp.
15	(evidence synthes* or realist synthes*).mp.
16	(Grounded theory or naturalistic inquiry).mp.
17	OR/6-16
18	5 AND 17

CINAHL (OVID)

#	Query
S19	S5 AND S18
S18	S6 or S7 or S8 or S9 or S10 or S11 or S12 or S13 or S14 or S15 or S16 or S17
S17	evidence syntheses* or realist syntheses* or grounded theory or naturalistic inquiry
S16	field work or fieldwork or field-work or key informant* or ground work or groundwork or narration or narrative*
S15	focus group* or focus-group* or focusgroup*
S14	((("semi-structured" or semistructured or semi structured or unstructured or informal or "in-depth" or indepth or "face-to-face" or individual* or structured or guide* or tailored or one-to-one or telephone or internet or doodle or oral or written or diagnostic or psychodiagnostic or intake or recorded or group*) N3 (interview* or discussion* or questionnaire* or survey*)))
S13	metasyntheses* or meta-syntheses* or meta syntheses* or metaethnograph* or meta-ethnograph* or meta ethnograph*
S12	((qualitative or empirical or action or ethnographic or ethnological or ethnonursing or ethnomedicine or phenomenological or narrative or narration) N3 (research or study or study or method* or design or syntheses* or systematic study or systematic studies or meta analy* or meta-analy* or metaanaly* or analy*))
S11	MH "Empirical Research"
S10	MH "Focus Groups"
S9	MH "Narratives+"
S8	MH "Interviews+"
S7	MH Surveys+
S6	MH "Qualitative Studies+"
S5	EMNE

Referenceliste

Glanville J, Kotas E, Featherstone R, Dooley G. Which are the most sensitive search filters to identify randomized controlled trials in MEDLINE? *J Med Libr Assoc.* 2020 Oct 1;108(4):556-563. doi: 10.5195/jmla.2020.912. PMID: 33013212

Gorayeb RP, Forjaz MJ, Ferreira AG, Duarte GNS, Machado T, Ferreira JJ. Electronic search strategies fail to identify randomized controlled trials (RCTs) in neurosurgery. *Clin Neurol Neurosurg.* 2019;184:105446

Ayiku L, Hudson T, Glover S, Walsh N, Adams R, Deane J, et al. The NICE MEDLINE and Embase (Ovid) health apps search filters: development of validated filters to retrieve evidence about health apps. *Int J Technol Assess Health Care.* 2020:1-7

Wagner M, Rosumeck S, Kuffmeier C, et al. A validation study revealed differences in design and performance of MEDLINE search filters for qualitative research. *J Clin Epidemiol.* 2020;120: 17-24

Rosumeck S, Wagner M, Wallraf S, Euler U. A validation study revealed differences in design and performance of search filters for qualitative research in PsycINFO and CINAHL. *J Clin Epidemiol.* 2020 Sep 25:S0895-4356(20)31117-3

Waffenschmidt S, Navarro-Ruan T, Hobson N, Hausner E, Sauerland S, Haynes RB. Development and validation of study filters for identifying controlled non-randomized studies in PubMed and Ovid MEDLINE [published online ahead of print, 2020 May 29]. *Res Synth Methods.* 2020

Li L, Smith HE, Atun R, Tudor Car L. Search strategies to identify observational studies in MEDLINE and Embase. *Cochrane Database Syst Rev.* 2019 Mar 12;3:MR000041

Glanville Julie, Dooley Gordon, Wisniewski Susi, Foxlee Ruth, Noel-Storr Anna. Development of a search filter to identify reports of controlled clinical trials within CINAHL Plus. *Health Lib J* 08 February 2019 <https://doi.org/10.1111/hir.12251>

Huang Y, Yang Z, Wang J, Zhuo L, Li Z, Zhan S. Performance of search strategies to retrieve systematic reviews of diagnostic test accuracy from the Cochrane Library. *J Evid Based Med.* 2016, 9(2): 77–83

OVID Expert Searches. Tilgængelig på: <https://tools.ovid.com/ovidtools/expertsearches.html>. Opdateret: 2021. Hentet: 15.04.2021

Franco JVA, Garrote V, Vietto V, Escobar Liquitay CM, Solà I. Search strategies (filters) to identify systematic reviews in MEDLINE and Embase. *Cochrane Database of Systematic Reviews* 2020, Issue 7. Art. No.: MR000054